

BLACHERE ILLUMINATION 2025

GENERAL *catalog*





HEAD OFFICE & WORKSHOP

Blachere Illumination S.A.S
22 Allée des Bourguignons, 84400, Apt
Tel : + 33 (0) 413 068 004
Fax : + 33 (0) 490 741 463

Mail : sales@blachere-illumination.com
Web : blachere-illumination.com

DESIGN • DESIGN DPT BLACHERE

CONTACT

Géraldine - tél : +33 (0) 490 747 323
geraldine@blachere-illumination.com
Léa - tél : +33 (0) 490 747 642
lalves@blachere-illumination.com
Marion - tél : +33 (0) 490 747 330
marion@blachere-illumination.com
Irène - tél : +33 (0) 490 747 396
i.baravet@blachere-illumination.com
Marie - tél : +33 (0) 490 747 044
marie@blachere-illumination.com
Cathy - tél : +33 (0) 490 747 325
cathy@blachere-illumination.com

COVER • DESIGN DPT BLACHERE

PHOTOGRAPHERS

- Michel Djaoui
- Lionel Moulet
- Jérémie Pitot
- Odile Pascal
- Brice Toul
- Eric Soltan
- Camille Moirenc

PRINT • GROUPE PRENANT

ALL RIGHTS RESERVED

Not a contract document. The sizes and wattages of motifs may be subject to change for technical reasons.
Non-contractual images.

All our products are CE marked meaning that they meet electrical security norms and electromagnetic requirements.
All our motifs, designs and graphics are protected by the INPI, the OMPI and current industrial and intellectual property laws.
Reproduction of any kind, in full or part, is strictly forbidden without written authorisation of blachere illumination s.a.s.

Get inspired at blachere-illumination.com



SUMMARY

catalogue

1
2
3
4
5

VOLUMES & URBAN

14 – 71

SUSPENSIONS COLLECTIONS

72 – 157

GARLANDS

158 – 227

DECORATIONS

228 – 253

TECHNICAL PAGES

254 – 288

◆ Height

◆ Length

■ Width

⚡ Voltage

KG Weight

FLASH Flash colour

● LED colour

■ Print colour

N News

Bottle Recycled bottles needed to create a decoration

OUR HISTORY

It all began in Apt, in the heart of Provence, in 1973.

When Jean-Paul Blachère illuminated his first village, the smiles on the inhabitants' faces were his confirmation that light has a unique magical power. He then turned this experience into a profession, a passion and know-how that he passes on with love and respect for tradition.

We have now grown, delivering our decorations in over 80 countries, supported by our 600 members of staff in France and our 27 subsidiaries worldwide. We are proud to illuminate 70% of French districts with over 5,000 inhabitants and more than 1,000 towns and cities and 500 shopping centres worldwide.

- 27 SUBSIDIARIES

- 1000 TOWNS AND CITIES ILLUMINATED IN OVER 80 COUNTRIES
- 800 SHOPPING CENTRES WORLDWIDE

Above all, we strive to do our job with the same passion as on the very first day.

The richness of our company comes from the experience gained through discussions, listening and the creative solutions provided for our customers.

When it comes to illuminations in Sweden, the United States, France or Mexico, the expectations are often different. The adaptability and professionalism of our local teams therefore ensure that we are able to meet the needs of each city and the culture of each country.

The ultimate aim, whatever the location around the globe, is to arouse emotions with our illuminations...



BLACHERE KNOW-HOW

For us, creation is key: it starts with a sketch, a drawing by hand, an idea, a dream... then our designers bring it to life in the form of light.

We are more than just manufacturers; we are passionate creatives with a single mission: to enthrall the world by telling beautiful stories through fairytale designs, innovative decorations and magical luminous settings.

We are inspired by all that surrounds us, and by anything that could stir an emotion... Being creative is not mutually exclusive with professional expertise: this philosophy keeps us one step ahead and sets us apart from the crowd. Thanks to our innovations, we are able to strike the right balance between age-old know-how and industrialisation.

This is demonstrated by the fact that we are the only company in our market to have received the EPV living heritage company label.

- 12 LARGE-SCALE 3D PRINTERS

- 5 PRODUCTION SITES AROUND THE WORLD
- 500 PEOPLE IN OUR FRENCH AND INTERNATIONAL WORKSHOPS

This distinction is awarded to companies with exceptional know-how, combining tradition and innovation.

From decorative ironwork to the most painstaking wiring, more than 7,000 made-to measure decorations take shape in our workshops in France and abroad each year: the "Haute Couture" of illuminations. In parallel, standard decorations from our summer and winter "Ready-to-wear" collections are printed using eco-friendly materials thanks to our fleet of twelve large-scale 3D printers in France and elsewhere.

Although our expertise was born in France over 50 years ago, we are delighted to now have five production sites in Europe, the Middle East and America, which allow us to deliver to countries around the world via local supply chains and to contend with the economic demands of the market.



OUR LARGE-SCALE 3D PRINTERS

We will never stop innovating in order to rise to the new ecological challenges with creativity and common sense.

Each year, we do everything in our power to create or replace parts of our decorations to make them more eco-friendly and limit their impact as much as possible. Thanks to our fleet of 12 large-scale 3D printers, since 2016 we have been printing structures in eco-friendly materials, thereby replacing 80% of the aluminium in our decorations.

Whether we are working with Bioprint, Recyprint or our brand-new Flexiprint, the operating




procedure is the same: the granules of these three materials are tinted with clean dyes and then injected into our 3D printers to produce coloured structures.

Our manufacturing processes are patented.

This innovation has enabled the creation of a workshop dedicated to 3D printing, along with a dozen jobs, most of which are new professions within our group.

BIOPRINT



Bioprint is a bio-based material derived from GM-free sugar cane turned into dehydrated bioethanol under the supervision of a French laboratory. Our Bioprint decorations are reused or recycled at the end of their life, and remain biodegradable if they are thrown away. Biodegradation is the breakdown of organic materials by microorganisms, without causing damage to the natural environment.

- BIOBASED, MADE FROM SUGAR CANE
- 100% BIODEGRADABLE AND RECYCLABLE



RECYPRINT



600 billion bottles are produced each year, and many of them end up in the oceans. At Blachere, we have decided to turn this waste into magical decorations. The plastic bottles collected are recovered by specialist bodies, which recycle them. This post-consumer recycled plastic from the food industry is then injected into our printers in the form of granules. Over four million bottles have already been turned into decorations to date.

- MADE FROM PLASTIC BOTTLES
- 100% RECYCLABLE




FLEXIPRINT




Following on from Bioprint and Recyprint, this year we have created Flexiprint with the same aim of reducing our products' impact and adopting a sustainable and ecofriendly approach. After months of tests, we are now offering a unique material made from recycled plastic that is supple enough to cover our three-dimensional decorations, like textile or mesh. This new material therefore now adorns our figures or Christmas trees, supplementing our ranges of sustainable and eco-friendly products.

- MADE FROM RECYCLED PLASTIC
- 100% RECYCLABLE





Antwerpen, Belgium



The Shard, London, United Kingdom

OUR SCHEMES



Victoria Leeds, United Kingdom



Ikuna Resort, Natternbach, Austria



Malines/Mechelen, Belgium



The Shops at Columbus Circle, New-York, USA

OUR SCHEMES



Amsterdam, The Netherlands



La Perla, Mexico

OUR ECO-FRIENDLY MATERIALS

Innovation has always been in our DNA. As our company was born in 1973 at the heart of the oil crisis, we have been continually developing the construction of our decorations since our company was founded to make them more eco-friendly and limit their impact as much as possible.

Every year, more than 35,000 decorations are restored and reconditioned to be hired out or resold once more. We also put in place measures to encourage a clean end of life for all our products.

RECYCLED ALUMINIUM

The frameworks and support structures of our decorations are made of aluminium, composed of 70% recycled material.

ECO-FRIENDLY MATERIALS



OUR COLOURS AVAILABLE



LOW-CONSUMPTION LEDs

Our decorations and all the products in the fairy lights and spotlights section are equipped with ultra-low consumption LEDs that consume ten times less energy than traditional lighting.

SOLAR POWER ALTERNATIVE

To respond to your ecological concerns with creativity and common sense, certain decorations are available with solar panels, making them totally selfsufficient.

CONTROLLING YOUR DECORATIONS

Smart energy management is an integral part of a global eco-friendly urban policy. To be able to control your illuminations as best as possible, we offer you a range of boxes as well as complete control systems, which can be found in the accessories section at the end of the catalogue.

CLEAN END OF LIFE FOR DECORATIONS

At Blachere, we ensure:

- The repair, reuse, collection and processing of waste electrical and electronic equipment.
- Bioprint, Recyprint and Flexiprint are recyclable and repurposed.



SUSTAINABILITY AND RECONDITIONED DECORATIONS

At Blachere, it is essential to look after things and take a long-term approach. We don't throw away, we repair!

We give our decorations a new lease of life – sometimes more than once – and offer our clients a broad range of fully serviced and reconditioned decorations: an ecoaware and responsible mode of consumption with decorations that remain of high quality and attractively priced.

Our servicing process stretches from January to June. 50 to 60 people are enlisted in our workshops to repair 35,000 decorations per year, whether they are lamppost decorations, figures

or fairy lights. The decorations are carefully tested and repaired one by one, by hand, according to extremely exacting repair and servicing criteria.

The most sensitive products are then stored on racks in our covered warehouses, and the others in our outdoor area. Just under three hectares in total is dedicated to storing these decorations.

Our sales team remains at your disposal to present our full range of reconditioned decorations. Long live Blachere Illumination decorations!

- 35,000 DECORATIONS SERVICED EACH YEAR
- EXTREMELY EXACTING SERVICING AND REPAIR CRITERIA
- A FULL RANGE OF RECONDITIONED DECORATIONS



OUR COMMITMENTS TO CSR, LABELS & QUALITY

We keep our communication short but truthful. Our CSR approach is in keeping with our attitude for the past 50 years.

Everything that we create to light up the world absolutely must respect our planet and care for humanity.

We are keen to create a working environment that allows every employee to flourish.

We like to develop, train and support our staff, to make them want to stay, while offering them the chance to advance and learn. For us, gender equality and equal opportunity are the keys to success, and we are proud to employ almost as many women as men in our teams.



Launched in 2000, the United Nations Global Compact is the largest global initiative in terms of social responsibility. We signed up to the compact in 2023, and incorporate the principles regarding human rights, international labour standards, environmental protection and fighting all forms of corruption into our strategy.



The French Touch is an inspiring and inspired movement created to support the economic growth of cultural and creative industries. The French Touch brings together companies in the sector to form a network of motivated and determined entrepreneurs united around four core values: creativity, excellence, boldness, and authenticity.



Launched in 2017, La French Fab flies the flag for French industry in motion. La French Fab represents companies, economic players, institutions and industrial sites located in France who want to develop French industry.



Living Heritage Company (EPV) is an official French label delivered under the authority of the Ministry of the Economy and Finance, to designate French companies with artisanal and industrial expertise deemed exceptional.



The Le Coq Vert community is THE community of companies committed to the energy and ecological transition. This logo demonstrates our commitment to putting climate concerns at the heart of our strategy.

THE BLACHERE FOUNDATION

The fruit of a passion for contemporary art and the African continent, our corporate foundation was established by Jean-Paul Blachère in 2004.

It supports contemporary art from Africa and the promotion of artists from the African continent.

In its 400m² arts centre at the heart of the Luberon region, it presents exhibitions



fondation
Blachère

COMMON SENSE AND KINDNESS ARE AT THE HEART OF OUR BEHAVIOUR IN THE BLACHERE GROUP





VOLUMES & URBAN

GENERAL CATALOGUE



N
GX356L-ICE
◆1.8m ◆1.5m □1.0m ♪31kg ▲32W
FLASH

N
GX346L-TIPI CRYSTAL
◆2.3m ◆1.2m □1.2m ♪30kg ▲65W
FLASH

N
SL053W-KADO
◆1.3m ◆0.8m □0.8m ♪15kg ▲12W
FLASH

N
GX354LW-LUX
◆3.7m ◆3.6m □3.6m ♪155kg ▲210W
SOFT XLED

N
SL051W-FONTAIN CRYSTAL
◆2.8m ◆4.0m □4.0m ♪56kg ▲182W
FLASH

N
GX348L-SANTA CRYSTAL
◆2.9m ◆1.9m □1.4m ♪70kg ▲40W
FLASH



N GX347L-WIZZ CRYSTAL
◆1.2m ◆1.2m □2.3m ☀69.5kg ⚡90W
FLASH

N GX349L-FROST
◆1.5m ◆2.6m □1.1m ☀46kg ⚡40W
FLASH

N GX344L-SCALA
◆3.0m ◆3.0m □3.0m ☀155kg ⚡150W
FLASH

N SL052W-DEMI ARCHE CRYSTAL
◆2.5m ◆1.0m □1.0m ☀23kg ⚡52W
FLASH 49

N GX357L-CHRIS
◆2.3m ◆1.5m □1.0m ☀44kg ⚡44W
FLASH

N GX345L-CRISTAL
◆3.1m ◆2.1m □1.2m ☀50kg ⚡70W
FLASH



N

SL053W-KADO

◆ 1.3m ◀ 0.8m □ 0.8m ▲ 15kg ▷ 12W



N

GX333L-HAPPY SANTA

◆ 2.6m ◀ 2.5m □ 1.5m ▲ 96kg ▷ 64W

FLASH

5



N

GX087L-LITTLE TEDDY CHIC

◆ 2.0m ◀ 2.0m □ 1.5m ▲ 54kg ▷ 46W

FLASH

N

GX265LW-LOLLIPOP

◆ 2.0m ◀ 1.3m □ 1.3m ▲ 31.5kg ▷ 50W

FLASH

N

GX163L-ELIOTT

◆ 2.8m ◀ 2.0m □ 1.3m ▲ 32kg ▷ 20W

FLASH





GX261LW-TRADI BOX
◆ 1.9m ◆ 1.2m ◻ 0.7m ♫ 32.5kg ⚡ 60W
FLASH&STARS ■ 9



GX092L-CUTE RENNOO
◆ 2.2m ◆ 1.2m ◻ 0.7m ♫ 99kg ⚡ 18W
FLASH

GX093L-RENNOO
◆ 2.0m ◆ 1.2m ◻ 0.6m ♫ 52kg ⚡ 18W
FLASH



GX260LW-ELY
◆ 1.6m ◆ 1.2m ◻ 1.0m ♫ 7.1kg ⚡ 20W
FLASH&STARS ■ 41

SOCL43-ASTRAL BOOTH
◆ 2.2m ◆ 2.0m ◻ 0.8m ♫ 20.4kg ⚡ 25W
FLASH ■ 118

SL038W-KDO
◆ 1.3m ◆ 0.9m ◻ 0.9m ♫ 17.5kg ⚡ 20W
FLASH ■ 25



GX151L-ROY
◆ 2.0m ◀ 1.0m □ 1.0m ▲ 27kg ⚡ 17W

SOCL47-TRADI PHOTOBOOTH
◆ 2.5m ◀ 1.8m □ 0.8m ▲ 21.5kg ⚡ 15W

FLASH

GX152L-ED
◆ 2.0m ◀ 1.5m □ 0.9m ▲ 27.5kg ⚡ 12W

FLASH



GX194L-WIZZ
◆ 2.0m ◀ 2.3m □ 1.2m ▲ 82kg ⚡ 79W

XLEDSTARSFLASH 277

GX118DC-DUO COMETE
◆ 2.6m ◀ 2.2m □ 1.2m ▲ 27.4kg ⚡ 35W

FLASH



GX263L-THEODOR
◆ 2.3m ◆ 0.9m ◻ 1.1m ♈ 25.5kg ⚡ 20W

GX358L-ALEX
◆ 3.7m ◆ 2.4m ◻ 1.9m ♈ 72kg ⚡ 91W FLASH 3

GX267LW-CIRCUS
◆ 3.0m ◆ 1.8m ◻ 1.8m ♈ 81kg ⚡ 160W FLASH 32

TO ORDER

GX102LW-XMAS TRAIN
◆ 1.9m ◆ 3.6m ◻ 1.0m ♈ 130kg ⚡ 124W FLASH 33

TO ORDER

GX247L-A-BOX
◆ 2.2m ◆ 1.7m ◻ 0.9m ♈ 81.5kg ⚡ 150W FLASH 586

TO ORDER

GX264LW-BIGS
◆ 1.6m ◆ 1.9m ◻ 1.0m ♈ 67.5kg ⚡ 75W FLASH 519

GX193L-FLASH
◆ 1.3m ◆ 2.4m ◻ 1.0m ♈ 42.5kg ⚡ 45W FLASH XLED&STARS

GX244L-LOLITA
◆ 2.3m ◆ 2.1m ◻ 1.6m ♈ 53kg ⚡ 35W FLASH XLED&STARS



GX262LW-YUMMY
◆ 1.6m ◆ 1.3m □ 0.3m ▲ 17kg ⚒ 35W
FLASH 192



GX159L-DOUDOU
◆ 2.1m ◆ 1.9m □ 1.2m ▲ 39.5kg ⚒ 28W
FLASH

GX248LR-SUGAR
◆ 2.0m ◆ 0.8m □ 0.8m ▲ 27.5kg ⚒ 5W
FLASH



GX105L-TOMMY
◆ 2.7m ◆ 2.5m □ 1.2m ▲ 91kg ⚒ 50W
FLASH

GX164L-WIZZ SANTA
◆ 2.3m ◆ 3.8m □ 1.2m ▲ 66kg ⚒ 25W
FLASH

GX119L-ROMY
◆ 4.5m ◆ 3.0m □ 2.45 ▲ 81.0kg ⚒ 29W
FLASH

GX118L-COMETE
◆ 2.6m ◆ 2.2m □ 1.2 ▲ 27.4kg ⚒ 14W
FLASH

GX249L-RAYMOND
◆ 2.2m ◆ 1.5m □ 0.8m ▲ 57kg ⚒ 20W
FLASH

GX249L-A-RAYMOND
◆ 2.2m ◆ 1.5m □ 0.8m ▲ 44kg ⚒ 20W
FLASH

With push button



GX086L-TEDDY CHIC


◆ 4.0m ◆ 4.0m ◻ 2.8m ▲ 157kg ⚡ 208W



TO ORDER

GX086L-A-TEDDY CHIC

◆ 4.0m ◆ 4.0m ◻ 2.8m ▲ 172kg ⚡ 248W



TO ORDER



With presence detector

SL135W-ASTRAL ARCH

◆ 3.8m ◆ 4.9m ◻ 1.0m ▲ 88kg ⚡ 80W




FLASH & XLED 25

TO ORDER

GX133L-MISTER SANTA

◆ 2.8m ◆ 4.8m ◻ 1.4m ▲ 125kg ⚡ 46W



FLASH 5

TO ORDER





Volumes
& urban

K262LW-YUMMY
1.6m 1.3m 0.3m 17kg 35W
FLASH 192



GX256LW- ANGEL

◆ 1.8m ◆ 1.6m □ 0.3m ⚒ 21kg ↗ 55W

   FLASH  22

GX257LW-CLEM

◆ 1.5m ◆ 1.2m □ 0.3m **17.5kg** ↗ 30W

FLASH 191

2LW-JOSÉ
m ◇ 1.2m □ 0.3m 🔧 15kg ↗ 40W
FLASH 57

GX259LW-CLEO
◆ 1.5m ◆ 1.3m ◻ 0.3m ◉ 21kg ↗ 50W
 FLASH 184

GX245LW- MANALA

◆ 1.9m ◆ 1.3m ◻ 0.3m ♫ 19.5kg ↗ 45W

 FLASH 258

◆ 1.2m ◆ 1.3m ◻ 0.3m ⚡ 17kg

FLASH 172

GX350LW-SCENETTE JOSÉ
◆ 2.0m ◆ 2.4m □ 0.5m ⚒ 36kg ↗
 XLED  257



GX047L- SKATE BEAR

◆ 2.3m ◀ 2.0m □ 1.1m ▲ 44kg ▷ 30W

● XLED ■ 41

GX182L- TEDDY SKI

◆ 4.0m ◀ 3.4m □ 2.6m ▲ 148kg ▷ 146W

● XLED ■ 41

GX182L-A- TEDDY SKI ANIME

◆ 4.0m ◀ 3.4m □ 2.6m ▲ 160kg ▷ 186W

● interactivité XLED ■ 41



GX182L- PINGU

◆ 2.1m ◀ 1.9m □ 1.2m ▲ 31kg ▷ 20W

● XLED ■ 15

GX182L-BLIZZARD PHOTOBOOTH

◆ 2.2m ◀ 1.6m □ 0.8m ▲ 18.5kg ▷ 25W

● interactivité XLED ■ 142

With presence detector

TO ORDER



GX206L- BABY BEAR

◆ 1.5m ◀ 1.4m □ 1.3m ▲ 30.4kg ▷ 40W

● XLED ■ 21

GX145L- NOAH

◆ 3.0m ◀ 2.3m □ 1.8m ▲ 76kg ▷ 54W

● XLED ■ 21

GX145L-A- NOAH ANIME

◆ 3.0m ◀ 2.3m □ 1.8m ▲ 100kg ▷ 54W

● interactivité & XLED ■ 21

+ buzzer

TO ORDER

GX149L- FROZEN LETTERBOX

◆ 2.0m ◀ 2.2m □ 0.7m ▲ 36kg ▷ 64W

● STARS & FLASH ■ 432

GX079L- ICE IGLOO

◆ 1.5m ◀ 2.2m □ 2.0m ▲ 55kg ▷ 20W


● FLASH ■ 134

TO ORDER

GX147L- FOX

◆ 2.2m ◀ 1.8m □ 1.4m ▲ 37kg ▷ 20W

● FLASH



GX184LW-GOLD ARCH
 $\diamond 3.5m \quad \blacklozenge 5.8m \quad \blacksquare 1.0m \quad \blacktriangle 115kg \quad \blacktriangledown 100W$
FLASH & FL900E&COMETE 337
TO ORDER

SL135W-ASTRAL ARCH
 $\diamond 3.8m \quad \blacklozenge 4.9m \quad \blacksquare 1.0m \quad \blacktriangle 88kg \quad \blacktriangledown 80W$
FLASH & XLED 25
TO ORDER


GX184L-BLIZZARD ARCH
 $\diamond 3.5m \quad \blacklozenge 5.8m \quad \blacksquare 1.0m \quad \blacktriangle 115kg \quad \blacktriangledown 100W$
FLASH & FL900E&COMETE 337
TO ORDER

GX252L-TRADI ARC
 $\diamond 4.6m \quad \blacklozenge 5.9m \quad \blacksquare 1.0m \quad \blacktriangle 382kg \quad \blacktriangledown 568W$
STARS&FLASH
TO ORDER

SL136-QUADRILLE ARCH
 $\diamond 3.8m \quad \blacklozenge 4.9m \quad \blacksquare 1.0m \quad \blacktriangle 81.5kg \quad \blacktriangledown 60W$
XLED & FL900E&FLASH 25
TO ORDER

GX252LW-TRADI ARC
 $\diamond 4.6m \quad \blacklozenge 5.9m \quad \blacksquare 1.0m \quad \blacktriangle 382kg \quad \blacktriangledown 568W$
FLASH&STARS
TO ORDER

SL136W-QUADRILLE ARCH
 $\diamond 3.8m \quad \blacklozenge 4.9m \quad \blacksquare 1.0m \quad \blacktriangle 81.5kg \quad \blacktriangledown 60W$
XLED&STARS&FLASH 25
TO ORDER



SL050R- LOVE ARCH

◆ 5.0m	◆ 3.0m	■ 1.5m	■ 219kg	◆ 150W
--------	--------	--------	---------	--------

■ ■ ■ 832

TO ORDER



GX155LW-ELIE

◆ 4.2m	◆ 4.0m	■ 4.0m	■ 386kg	◆ 382W
--------	--------	--------	---------	--------

■ ■ ■ 441

FLASH

GX154LW-LUMI

◆ 4.0m	◆ 2.0m	■ 1.8m	■ 171kg	◆ 135W
--------	--------	--------	---------	--------


■ ■ ■ 1367

GX070LR- TITAN

◆ 3.9m	◆ 3.6m	■ 3.3m	■ 235kg	◆ 260W
--------	--------	--------	---------	--------

■ ■ ■ FLASH 1927

TO ORDER



GX070CL-CHERRY BOX
 ◇ 3.9m ◇ 3.6m ◻ 3.3m ▲ 235kg ⚡ 175W
 FLASH&RGBWW 1927



TO ORDER

SL019CL-CHERRY BALL
 ◇ 2.8m ◇ 3.0m ◻ 2.2m ▲ 143kg ⚡ 58W
 RGBWW

TO ORDER

GX171RGBW-FUTURA
 ◇ 2.5m ◇ 6.0m ◻ 4.4m ▲ 257.6kg ⚡ 600W
 RGBWW

TO ORDER




SL051W-FONTAIN CRISTAL

◆ 2.8m	◆ 4.0m	■ 4.0m	▲ 56kg	⚡ 182W
◆ SOFTXLED	■ COMETEFLASH	▲ 257		



SL035W-TATIANA

◆ 2.0m	◆ 2.1m	■ 0.6m	▲ 22.5kg	⚡ 60W
◆ SOFTXLED	■ COMETEFLASH	▲ 257		




SL040-BLIZZARD FOUNTAIN

◆ 2.0m	◆ 4.0m	■ 4.0m	▲ 55kg	⚡ 140W
◆ SOFTXLED	■ COMETEFLASH	▲ 122		



SL044W-ASTRAL FOUNTAIN


◆ 2.0m	◆ 4.0m	■ 4.0m	▲ 82kg	⚡ 120W
◆ FLASH&COMETEe	■ FLASH&COMETEe	▲ 122		




SL036- DEMI ARCHE FEU D'ARTIFICE
 ◆ 2.9m ◀ 1.0m □ 0.9m ■ 52kg ⚡ 21W
FLASH 70














SL036W- DEMI ARCHE FEU D'ARTIFICE
 ◆ 2.9m ◀ 1.0m □ 0.9m ■ 32kg ⚡ 21W
FLASH 70



SL037W- DEMI ARCHE COMETE
 ◆ 2.9m ◀ 1.1m □ 1.0m ■ 24kg ⚡ 20W
FLASH 106



SL052W- DEMI ARCHE CRISTAL
 ◆ 2.5m ◀ 1.0m □ 1.0m ■ 23kg ⚡ 52W
FLASH 24



GX156LW-SELFIE TREE
◆ 2.5m ◆ 2.2m □ 0.9m ■ 53.5kg ▷ 15W
FLASH 83

GX168LW-SELFIE LOVE
◆ 1.9m ◆ 2.0m □ 0.9m ■ 36.5kg ▷ 20W
FLASH 139

TO ORDER



GX210LW-STARLIGHT
◆ 0.9m ◆ 2.4m □ 1.0m ■ 34kg ▷ 30W

GX327LW-BOULE XMAS
◆ 1.1m ◆ 1.0m □ 1.0m ■ 6.6kg ▷ 25W

FLASH

GX327L-BOULE XMAS
◆ 1.1m ◆ 1.0m □ 1.0m ■ 6.6kg ▷ 25W

FLASH

SL033-SYLVESTRE GM
◆ 2.1m ◆ 2.5m □ 0.9m ■ 8.8kg ▷ 45W

SL033W-SYLVESTRE GM
◆ 2.1m ◆ 2.5m □ 0.9m ■ 8.8kg ▷ 45W

FLASH

SL013-PROXIMA GM
◆ 2.0m ◆ 3.5m □ 1.0m ■ 6kg ▷ 45W

SL013W-PROXIMA GM
◆ 2.0m ◆ 3.5m □ 1.0m ■ 6kg ▷ 45W

FLASH

SL032-SYLVESTRE PM
◆ 1.4m ◆ 1.7m □ 1.0m ■ 7.5kg ▷ 40W


SL032W-SYLVESTRE PM
◆ 1.4m ◆ 1.7m □ 1.0m ■ 7.5kg ▷ 40W

FLASH

SL012-PROXIMA PM
◆ 1.3m ◆ 2.5m □ 1.0m ■ 6.4kg ▷ 25W

SL012W-PROXIMA PM
◆ 1.3m ◆ 2.5m □ 1.0m ■ 6.4kg ▷ 25W

FLASH




GX173LW-MAGIC
◆ 5.2m ◆ 5.0m ◻ 5.0m ♫ 175kg ⚡ 290W
● XLED&FLASH

TO ORDER




GX173L-MAGIC
◆ 5.2m ◆ 5.0m ◻ 5.0m ♫ 175kg ⚡ 290W
● XLED&FLASH

SL005W-BJORK TREE BLANC CHAUD
◆ 5.0m ◆ 5.3m ◻ 3.3m ♫ 205kg ⚡ 100W
● FLASH






SL005-BJORK TREE
◆ 5.0m ◆ 5.0m ◻ 3.3m ♫ 205kg ⚡ 100W
● FLASH



SL039W-BJORK PM
◆ 5.0m ◆ 3.3m ◻ 0.4m ♫ 40kg ⚡ 20W
● FLASH



GX185LW-LINA
◆ 3.5m ◆ 3.9m ◻ 3.9m ♫ 60kg ⚡ 140W
● XLED



2 in 1 products!

You can choose from a warm white or pure white.

By reversing the connectors, you can obtain either a pure white decor/ pure white flash or a warm white decor/warm white flash.

GX354L-LUX
◆ 3.7m ◆ 3.6m □ 3.6m ▲ 155kg ⚡ 210W
SOFT XLED


GX354LW-LUX
◆ 3.7m ◆ 3.6m □ 3.6m ▲ 155kg ⚡ 210W
SOFT XLED

GX266DC-MINI MAGIC
◆ 2.5m ◆ 1.6m □ 1.6m ▲ 28.5kg ⚡ 90W

FLASH

GX355LW-GRACE TREE
◆ 2.4m ◆ 2.0m □ 2.0m ▲ 38kg ⚡ 74W

SOFT XLED 19



SL048-EMY
◆ 5.0m ◆ 3.0m ◻ 1.5m ☀ 74.5kg ⚡ 150W
FLASH&STARS 523
[TO ORDER](#)



SL049W-JUDY
◆ 5.0m ◆ 3.0m ◻ 1.5m ☀ 70kg ⚡ 75W
FLASH&STARS 523
[TO ORDER](#)



SL045V-VERDE
◆ 3.0m ◆ 2.3m ◻ 2.3m ☀ 45.5kg ⚡ 180W
XLED 299
[TO ORDER](#)



GX344L-SCALA
◆ 5.0m ◆ 3.0m ◻ 3.0m ☀ 155kg ⚡ 150W
FLASH
[TO ORDER](#)




GX344LW-SCALA
◆ 5.0m ◆ 3.0m ◻ 3.0m ☀ 155kg ⚡ 150W
FLASH
[TO ORDER](#)





SLED010W-MARINA
 ◆ 7.5m ◇ 3.4m □ 3.4m ☀ 152kg ⚒ 265W
● FLASH

TO ORDER



SND017-GRAND VEGA FROZEN
 ◆ 6.3m ◇ 2.2m □ 2.2m ☀ 170kg ⚒ 275W
■ FLASH ■ 286

TO ORDER



SV502W-CELESTE
 ◆ 6.0m ◇ 1.9m □ 1.9m ☀ 97kg ⚒ 185W
■ FLASH ■ 598

TO ORDER





SV302W-PETIT CELESTE

◆ 3.5m	◆ 1.2m	■ 1.2m	▲ 34kg	⚡ 70W
FLASH&STARS	419			





SV303W-QUADRI TREE

◆ 3.0m	◆ 1.2m	■ 1.2m	▲ 30kg	⚡ 55W
FLASH&STARS	199			



SV303- QUADRI TREE

◆ 3.0m	◆ 1.2m	■ 1.2m	▲ 30kg	⚡ 55W
FLASH&STARS	199			



SV502-CELESTE

◆ 6.0m	◆ 1.9m	■ 1.9m	▲ 97kg	⚡ 185W
FLASH	598			

TO ORDER

SV302-PETIT CELESTE

◆ 3.5m	◆ 1.2m	■ 1.2m	▲ 34kg	⚡ 70W
FLASH&STARS	419			





GX253LW-TOM	
◆ 5.0m	◆ 2.3m
■ 2.3m	■ 2.5m

TO ORDER

GX251L-BUBBLE	
◆ 5.0m	◆ 2.5m
■ 2.5m	■ 2.5m

TO ORDER

GX251LW-BUBBLE	
◆ 5.0m	◆ 2.5m
■ 2.5m	■ 2.5m

TO ORDER




Description	Height	Ø	P(W)	Nb of light points	Weight	Parts number	○	●
Conical fir tree 3m	3,00 m	1,18 m	24 W	612 + 156 flashes	49 kg	3	SV301	SV301W
Conical fir tree 5m	5,00 m	1,80 m	64 W	1028 + 364 flashes	241 kg	7	SV501	SV501W
Conical fir tree 10m	10,00 m	3,43 m	252 W	6528 + 1664 flashes	985 kg	23	SV1001	SV1001W
Conical "crossing" fir tree 2m	8,00 m	2,78 m	200 W	4284 + 1092 flashes	585 kg	17	SV801-P	SV801W-P
Conical "crossing" fir tree 12m	12,00 m	4,08 m	420 W	10149 + 2587 flashes	1174 kg	39	SV1201-P	SV1201W-P

TO ORDER



SND022-ROMANTIC
◆ 8.0m ◆ 2.7m ◻ 2.7m ◇ 315kg ◁ 300W
● STARS&COMETEFLASH
■ STARS&XLED ■ 286
TO ORDER

SND019-GRAND VEGA GREEN
◆ 6.3m ◆ 2.2m ◻ 2.2m ◇ 170kg ◁ 279W
● STARS&COMETEFLASH
■ STARS&XLED ■ 286
TO ORDER



SV507W-ALPS TREE
◆ 5.4m ◆ 1.9m ◻ 1.9m ◇ 129kg ◁ 197W
● STARS&XLED ■ 356
■ STARS&XLED ■ 356
TO ORDER



SV505CL- CHERRY TREE
 ◆ 5.8m ◀ 1.9m □ 1.9m ♠ 116kg ⚡ 90W
 RGBWW&FLASH

TO ORDER

SV506RGBW-FULL-COLOUR TREE
 ◆ 5.7m ◀ 1.9m □ 1.9m ♠ 150kg ⚡ 200W
 RGBWW

TO ORDER


SND021-TEDDY
 ◆ 5.5m ◀ 2.5m □ 2.5m ♠ 172kg ⚡ 325W
 FLASH

TO ORDER

SV504A- DAVE A
 ◆ 3.1m ◀ 1.6m □ 1.6m ♠ 44.5kg ⚡ 35W
 FLASH

TO ORDER

SL041W-NORDIKA 3D - ECO
 ◆ 3.0m ◀ 2.4m □ 2.4m ♠ 72kg ⚡ 125W
 SLOWGLOW 214



TO ORDER

SND018-VEGA GREEN
 ◆ 2.7m ◀ 0.9m □ 0.9m ♠ 25.5kg ⚡ 30W
 FLASH 46

TO ORDER

GP158WF- SAPIN VERT PRE ILLUMINE - H:10M
 ◆ 2.1m ◀ 1.4m □ 1.4m ♠ 18kg ⚡ 25W
 (306) FLASH (78)




NORDIKA, AS REALISTIC AS A NATURAL ONE

Who doesn't love a fabulous Christmas tree?


And yet, it takes between 30 and 40 years for a natural conifer to reach 12m in height. As we want to avoid deforestation halting the felling of these majestic trees, we invented NORDIKA.

Pre-illuminated with a slowglow effect, easy to assemble and store, they are perfect replicas of their natural version, both in their design and incredibly realistic appearance - as true to life as it gets.

Our environmental approach is based on a simple principle: to save at least as much carbon as we generate. We do this by only using biocompatible materials, which we recycle at the end of their lifespan.




OPTIONAL
TREETOP



HYPER REALISTIC
CHRISTMAS TREE BRANCHES



WOOD-EFFECT TRUNK




WOOD EFFECT
STAND AVAILABLE



NORDIKA, THE CHRISTMAS TRADITION

The perfect regularity of the branches, the realistic high-quality finishes and a majestic size make our conifers a festive must. You can customise your Nordika every year for a unique look: hang

Christmas baubles on its branches, add a set of lights, or even set it on a wooden base.



TO ORDER

Ref	Name	Height	Ø	P(W)	Weight	No of elements	Colour of Led	No of Led
GX081LW-2	sapin Nordika - PM	5,00 m	3,56 m	245 W	263 kg	46	☀	2976 (1488 steady + 1488 with slowglow effect)
GX082LW	sapin Nordika - MM	8,00 m	4,70 m	770 W	1 112 kg	107	☀	8664 (4332 steady + 4332 with slowglow effect)
GX083LW	sapin Nordika - GM	12,00 m	5,90 m	1870 W	2 750 kg	194	☀	21048 (10524 steady + 10524 with slowglow effect)



FREE STANDING NO NEED TO SECURE WITH WIRES

The Nordika is built on a robust internal framework that ensures its stability without the need for external cables or wires for balance.

TOTALLY SAFE 24V

100% secure thanks to its 24V voltage across the entire tree.

INDOOR & OUTDOOR USE

Thanks to its weather-resistant structure and durable materials, it withstands outdoor conditions perfectly while remaining elegant and safe indoors.

PVC FREE

The recyclable polyethylene branches provide a natural appearance and an eco-friendly approach. This innovative material perfectly mimics the look of real branches while being durable and environmentally friendly.

PRE-LIGHTED WITH 100% LED SLOWGLOW EFFECT

No need to install string lights anymore: the tree comes pre-decorated and ready to shine.

CAN BE TOTALLY DISMANTLED

Transport and storage are also made easier.

NORDIKA, ACCESSORIES



DECORATIVE BAUBLES KIT

Each kit features 52 baubles in the same colour (M1/B1 category-fireproof)-50% shiny /50% satiny

- 28 baubles ø 12cm
- 20 baubles ø 20cm
- 4 baubles ø 25cm

*SILVER : KITNDK-A
BLUE : KITNDK-B
GOLD : KITNDK-C
RED : KITNDK-R*

NORDIKA - 5 M = 2 kits - 104 baubles
NORDIKA - 8 M = 4 kits - 208 baubles
NORDIKA - 12 M = 8 kits - 416 baubles

BIOPRINT & RECYPRINT KIT

Each kit features 20 motives

- 8 motives ø 50cm
- 12 motives ø 30cm

*BLUE/WHITE - SNOWFLAKE : KITNDK-F
GOLD/WHITE - STAR : KITNDK-E*

NORDIKA - 5 M = 2 kits - 40 decorations
NORDIKA - 8 M = 4 kits - 80 decorations
NORDIKA - 12 M = 8 kits - 160 decorations

TREE TOPPER

These carefully designed toppers allow you to customize the top of your tree, giving it a unique and magical finish.

*CIMIER STAR7 - 0,80M : CIME7
CIMIER BELLA - 1,00M : CIME2
CIMIER MIA - 1,00M : CIME6
CIMIER AIGUILLE - 1,00M : CIME4*



BASE

Stabilize and enhance your Nordika tree with our specially designed bases!

*NORDIKA 5M (GX081LW-2) : SOCLGX81
NORDIKA 8M (GX082LW) : SOCLGX82
NORDIKA 12M (GX083LW) : SOCLGX83*





SUSPENSIONS COLLECTIONS


GENERAL CATALOGUE


ARTY

The ARTY collection is inspired by the refinement and purity of the Art Deco artistic movement. We have elegantly mixed the geometric lines of this timeless artistic style with the traditional symbols of Christmas.

Flashes, diamond shapes and streamlined curves are accented with light, enabling us to create an extremely elegant and dynamic decoration that is equally beautiful day and night in your streets.

ART DECO
REFINEMENT
GEOMETRIC SHAPES
ELEGANCE
FLASH OF LIGHT
DROP BEADS





IPL37W-GATSBY BANNER
◆ 2.8m ▲ 0.8m ■ 8kg ⚡ 50W
SLOWFLASH & SOFT XLED 52



IPL37-GATSBY BANNER
◆ 2.8m ▲ 0.8m ■ 8kg ⚡ 50W
SLOWFLASH & SOFT XLED 52

IPL36W-GATSBY GRAND
◆ 2.0m ▲ 0.9m ■ 8kg ⚡ 49W
SLOWFLASH & SOFT XLED 79

IPL36-GATSBY GRAND
◆ 2.0m ▲ 0.9m ■ 8kg ⚡ 49W
SLOWFLASH & SOFT XLED 79

IPL35W-GATSBY
◆ 1.5m ▲ 0.6m ■ 5kg ⚡ 34W
SLOWFLASH & SOFT XLED 37


IPL35-GATSBY
◆ 1.5m ▲ 0.6m ■ 5kg ⚡ 34W
SLOWFLASH & SOFT XLED 37


ITL338W-GATSBY UNIT
◆ 1.0m ▲ 0.8m ■ 4kg ⚡ 30W
SLOWFLASH & SOFT XLED 29

ITL338-GATSBY UNIT
◆ 1.0m ▲ 0.8m ■ 4kg ⚡ 30W
SLOWFLASH & SOFT XLED 29

ITL338W

ITL338W





IPL144W- QUADRILLE GRAND

◆ 3.0m	◆ 1.0m	■	▲ 10.5kg	⚡ 40W
■ STARS&SLOWFLASH & XLED	■ 93			



IPL129W- QUADRILLE

◆ 2.0m	◆ 0.9m	■	▲ 7.6kg	⚡ 40W
■ STARS&SLOWFLASH	■ 57			

IPL131W- QUADRILLE BANNER

◆ 2.8m	◆ 0.8m	■	▲ 9.7kg	⚡ 50W
■ STARS&SLOWFLASH	■ 8			

IPL143W- SERENADE

◆ 1.5m	◆ 0.6m	■	▲ 3.9kg	⚡ 25W
■ STARS&SLOWFLASH	■ 34			

IPL230W- QUADRILLE ROLL

◆ 1.3m	◆ 1.0m	■	▲ 5kg	⚡ 25W
■ XLED&STARS&FLASH	■ 45			

IPL130W- QUADRILLE PETIT

◆ 1.2m	◆ 0.6m	■	▲ 4kg	⚡ 20W
■ STARS&SLOWFLASH	■ 33			

ITL161W- QUADRILLE CHAIN


◆ 1.2m	◆ 6.0m	■	▲ 25.5kg	⚡ 90W
■ XLED&STARS&FLASH	■ 116			

ITL129W- QUADRILLE ARC

◆ 1.2m	◆ 4.0m	■	▲ 18kg	⚡ 100W
■ XLED&STARS&FLASH	■ 132			

ITL291W- QUADRILLE UNIT

◆ 0.8m	◆ 0.7m	■	▲ 2.4kg	⚡ 15W
■ SLOWFLASH&STARS&XLED	■ 26			




ITL161W



ITL291W

ITL130W





IPL144- QUADRILLE GRAND
 ⬤ 3.0m ⬤ 1.0m ⬤ 10.5kg ⬤ 50W
 STARS & SLOWFLASH & XLED ■ 95

IPL129- QUADRILLE
 ⬤ 2.0m ⬤ 0.9m ⬤ 7.6kg ⬤ 40W
 STARS & SLOWFLASH ■ 57

IPL130- QUADRILLE PETIT
 ⬤ 1.2m ⬤ 0.6m ⬤ 4kg ⬤ 20W
 STARS & SLOWFLASH ■ 33

IPL131- QUADRILLE BANNER
 ⬤ 2.8m ⬤ 0.8m ⬤ 9.7kg ⬤ 50W
 STARS & SLOWFLASH ■ 8

IPL143- SERENADE
 ⬤ 1.5m ⬤ 0.6m ⬤ 3.9kg ⬤ 25W
 STARS & SLOWFLASH ■ 34

IPL230- QUADRILLE ROLL
 ⬤ 1.5m ⬤ 1.0m ⬤ 5kg ⬤ 25W
 XLED & STARS & FLASH ■ 45



IPL161- QUADRILLE CHAIN ⬤ 1.2m ⬤ 6.0m ⬤ 25.5kg ⬤ 90W XLED & STARS & FLASH ■ 116	TO ORDER	ITL129- QUADRILLE ARC ⬤ 1.2m ⬤ 4.0m ⬤ 18kg ⬤ 100W STARS & SLOWFLASH ■ 132
ITL161- QUADRILLE UNIT ⬤ 0.8m ⬤ 0.7m ⬤ 2.4kg ⬤ 15W SLOWFLASH & STARS & XLED ■ 26		ITL161 / IPL131




ITL161- QUADRILLE CHAIN
 ⬤ 1.2m ⬤ 6.0m ⬤ 25.5kg ⬤ 90W
 XLED & STARS & FLASH ■ 116

TO ORDER

ITL129- QUADRILLE ARC
 ⬤ 1.2m ⬤ 4.0m ⬤ 18kg ⬤ 100W
 STARS & SLOWFLASH ■ 132

ITL291- QUADRILLE UNIT
 ⬤ 0.8m ⬤ 0.7m ⬤ 2.4kg ⬤ 15W
 SLOWFLASH & STARS & XLED ■ 26





ITL101W- GRAND MIA
 ◇2.0m ◇2.0m □ 18kg ▲ 150W
 SLOWFLASH 216

ITL102W- MIA
 ◇1.0m ◇1.0m □ 5.8kg ▲ 45W
 SLOWFLASH 73

ITL022W- DENDRA
 ◇1.0m ◇0.9m □ 3kg ▲ 30W
 SLOWFLASH 41

ITL316W- HEXA CHAIN
 ◇1.0m ◇4.0m □ 15kg ▲ 95W
 FLASH & SOFT XLED 194

ITL163- THORN CHAIN
 ◇1.2m ◇6.0m □ 26.5kg ▲ 115W
 XLED&SLOWFLASH&STARS 194




ITL101- GRAND MIA
 ◇2.0m ◇2.0m □ 18kg ▲ 150W
 SLOWFLASH 216

ITL102- MIA
 ◇1.0m ◇1.0m □ 5.8kg ▲ 45W
 SLOWFLASH 73

ITL022- DENDRA
 ◇1.0m ◇0.9m □ 3kg ▲ 30W
 SLOWFLASH 41

ITL315- HEXA
 ◇1.0m ◇0.9m □ 4kg ▲ 27W


ITL233- QUADRILLE JF
 ◇0.8m ◇4.5m □ 15.1kg ▲ 105W
 XLED&FLASH&STARS 166




Grace

The GRACE collection is inspired by Baroque style. Born in Italy in the 17th century, this artistic movement is characterised by its majestic ornamentation and arabesques, symbols that we have chosen to combine with more pared-back contemporary lines. An essential element in Baroque style, the chandelier is available in several versions that you will find in these pages.

BAROQUE
ARABESQUES
CHANDELIERS
ELEGANCE
ORNAMENTATION
GILDING





IPL317R - DROP BANNER

◆ 2.8m	◆ 0.8m	■	▲ 11kg	◆ 48W
● SLOWFLASH & SOFT XLED	■ 14			

TO ORDER

IPL202W - COIMBRA BANNER

◆ 2.8m	◆ 0.8m	■	▲ 12kg	◆ 60W
● FLASH & XLED & SLOWFLASH	■ 43			

IPL318R - DROP GRAND

◆ 2.3m	◆ 0.9m	■	▲ 8kg	◆ 40W
● SLOWFLASH & SOFT XLED	■ 16			

TO ORDER

IPL226W - COIMBRA

◆ 2.0m	◆ 0.9m	■	▲ 7kg	◆ 40W
● FLASH & XLED & SLOWFLASH	■ 56			

IPL320R - DROP PETIT

◆ 1.5m	◆ 0.6m	■	▲ 6kg	◆ 32W
● SLOWFLASH & SOFT XLED	■ 5			

TO ORDER

IPL203W - COIMBRA PETIT

◆ 1.5m	◆ 0.6m	■	▲ 4kg	◆ 20W
● FLASH	■ 22			

IPL319R - DROP ROLL

◆ 1.9m	◆ 1.0m	■	▲ 6kg	◆ 36W
● SLOWFLASH & SOFT XLED	■ 56			

TO ORDER

IPL231W - COIMBRA ROLL

◆ 1.2m	◆ 0.9m	■	▲ 4.5kg	◆ 30W
● FLASH & XLED	■ 36			

ITL321R - DROP UNIT

◆ 1.0m	◆ 1.0m	■	▲ 8kg	◆ 42W
● SLOWFLASH & SOFT XLED	■ 69			

TO ORDER

ITL226W - COIMBRA DOUBLE

◆ 0.9m	◆ 4.0m	■	▲ 14.5kg	◆ 80W
● XLED & FLASH & SLOWFLASH	■ 111			

ITL218W - COIMBRA UNIT

◆ 1.0m	◆ 1.0m	■	▲ 3.8kg	◆ 30W
● XLED & FLASH	■ 42			

TO ORDER

ITL218W - COIMBRA ROLL

◆ 1.2m	◆ 0.9m	■	▲ 4.5kg	◆ 30W
● FLASH & XLED & SLOWFLASH	■ 36			



ITL321R

◆ 1.0m	◆ 1.0m	■	▲ 8kg	◆ 42W
● SLOWFLASH & SOFT XLED	■ 69			

TO ORDER

ITL226W

◆ 0.9m	◆ 4.0m	■	▲ 14.5kg	◆ 80W
● XLED & FLASH & SLOWFLASH	■ 111			

ITL218W

◆ 1.0m	◆ 1.0m	■	▲ 3.8kg	◆ 30W
● XLED & FLASH	■ 42			

TO ORDER

ITL218W

◆ 1.2m	◆ 0.9m	■	▲ 4.5kg	◆ 30W
● FLASH & XLED & SLOWFLASH	■ 36			



IPL317R

ITL321R + 1 TSL2

ITL226W

ITL218W + 1 TSL2



ITL218W / IPL226W





IPL267W-GRACE GRAND
◆3.5m ◆1.0m □ 11.5kg ▲ 50W
ORANGE SLOWFLASH&XLED 18

IPL266W-GRACE PETIT
◆2.0m ◆0.9m □ 6.5kg ▲ 40W
ORANGE SLOWFLASH&XLED 64

IPL265W-GRACE PETIT
◆1.5m ◆0.6m □ 3.7kg ▲ 20W
ORANGE SLOWFLASH&XLED 38

ITL266W-GRACE DOUBLE
◆0.9m ◆4.0m □ 12.7kg ▲ 80W
ORANGE SLOWFLASH&XLED 128

ITL077W-BOLCHOI
◆1.2m ◆6.0m □ 25.3kg ▲ 160W
ORANGE XLED&SLOWFLASH 235



IPL031W-MAZURKA
◆2.0m ◆0.9m □ 7.4kg ▲ 55W
ORANGE XLED&SLOWFLASH 53






IPL268W-GRACE ROLL
◆1.7m ◆1.1m □ 5.5kg ▲ 35W
ORANGE SLOWFLASH&XLED 47

IPL082W-LIBRETTO
◆1.2m ◆0.6m □ 3.5kg ▲ 30W
ORANGE XLED&SLOWFLASH 33

ITL165W-ILWAN
◆1.0m ◆3.0m □ 15.3kg ▲ 105W
ORANGE XLED&SLOWFLASH 141

ITL165W





ITGL170B-SPIRIT	
◆ 2.0m	◆ 1.1m
■ 1.1m	▲ 1.1m
▲ 44kg	◆ 87W
TO ORDER	

ITGL170L-SPIRIT	
◆ 2.0m	◆ 1.1m
■ 1.1m	▲ 1.1m
▲ 44kg	◆ 87W
TO ORDER	




TGL169LW-BAROQUE	
◆ 1.4m	◆ 1.2m
■ 1.2m	▲ 1.2m
▲ 26kg	◆ 135W
TO ORDER	

GX114LW-JAVA	
◆ 1.5m	◆ 1.2m
■ 1.2m	▲ 1.2m
▲ 27kg	◆ 30W
TO ORDER	

ITGL100-CADENCE	
◆ 1.5m	◆ 1.2m
■ 1.2m	▲ 1.2m
▲ 175kg	◆ 55W
TO ORDER	

ITGL101W-NOELIE	
◆ 1.0m	◆ 0.9m
■ 0.9m	▲ 0.8m
▲ 3.8kg	◆ 20W
TO ORDER	





IPL311-PLANT RING XMAS
◆ 1.0m ◆ 0.6m □ 0.6m ▲ 6kg ⚡ 7W
FLASH 24



IPL311W-PLANT RING XMAS
◆ 1.0m ◆ 0.6m □ 0.6m ▲ 6kg ⚡ 7W
FLASH 24

IPL300B-PLANT XMAS
◆ 1.9m ◆ 0.3m □ 0.42kg ⚡ 5W
FLASH 14


IPL300W-PLANT XMAS
◆ 1.2m ◆ 0.3m □ 0.4kg ⚡ 5W
FLASH 14

ITL310-PLANT LINE XMAS
◆ 0.8m ◆ 1.2m □ 0.7kg ⚡ 5W
FLASH 24

ITL310W-PLANT LINE XMAS
◆ 0.8m ◆ 1.2m □ 0.7kg ⚡ 5W
FLASH 24

ITL311 / IPL311





IPL135-FLORA
◆ 3.0m ◀ 1.0m ■ 13.3kg ⚡ 70W
■ STARS&SLOWFLASH ■ 94


IPL075B-ZEPHYR
◆ 2.5m ◀ 0.9m ■ 8.2kg ⚡ 60W
■ XLED & SLOWFLASH ■ 76

IPL110-ASTERIE
◆ 2.0m ◀ 0.9m ■ 8.2kg ⚡ 30W
■ SLOWFLASH ■ 6

IPL135W-FLORA
◆ 3.0m ◀ 1.0m ■ 13.3kg ⚡ 70W
■ XLED & SLOWFLASH ■ 94

IPL075W-ZEPHYR
◆ 2.5m ◀ 0.9m ■ 8.2kg ⚡ 60W
■ XLED & SLOWFLASH ■ 76

IPL110W-ASTERIE
◆ 2.0m ◀ 0.9m ■ 8.2kg ⚡ 30W
■ SLOWFLASH ■ 6



ITL021-AIGUILLE
◆ 1.3m ◀ 1.3m ■ 4.6kg ⚡ 55W
■ 65

ITL135W-FLORA DOUBLE
◆ 1.0m ◀ 6.0m ■ 26kg ⚡ 130W
■ STARS&SLOWFLASH ■ 187

ITL135-FLORA DOUBLE
◆ 1.0m ◀ 6.0m ■ 26kg ⚡ 130W
■ STARS&SLOWFLASH ■ 187




Precious

The Precious collection is inspired by the world of jewellery and fashion.

The design's lines echo those of items of jewellery: long necklaces, pendants and pearls are all refined references found in this theme.

A symbol of Christmas par excellence, the bow evokes connection, sharing and the joy of gifting, imposing its precious and timeless style.

JEWELLERY
LINKS
ADORNMENT
FASHION
BOW
RIBBONS





IPL332W-DANDY
◆ 0.6m ◆ 1.0m ◻ 7kg ◇ 34W
ORANGE/YELLOW SLOWFLASH & SOFT XLED ■■■ 67

IPL328W-LUCKY GRAND
◆ 3.0m ◆ 1.0m ◻ 14kg ◇ 93W
ORANGE/YELLOW SLOWFLASH & SOFT XLED ■■■ 95

IPL333W-DANDY DRAPEAU
◆ 2.0m ◆ 0.9m ◻ 9kg ◇ 55W
ORANGE/YELLOW SLOWFLASH & SOFT XLED ■■■ 118

IPL333W-DANDY DOUBLE
◆ 0.9m ◆ 4.0m ◻ 17kg ◇ 110W
ORANGE/YELLOW SLOWFLASH & SOFT XLED ■■■ 237


IPL334W-DANDY POLE
◆ 4.0m ◆ 0.2m ◻ 3kg ◇ 4W
ORANGE/YELLOW SLOWFLASH & SOFT XLED ■■■ 22


IPL329W-LUCKY
◆ 2.3m ◆ 0.7m ◻ 9kg ◇ 38W
ORANGE/YELLOW SLOWFLASH & SOFT XLED ■■■ 69


IPL330W-LUCKY PETIT
◆ 1.5m ◆ 0.7m ◻ 5kg ◇ 29W
ORANGE/YELLOW SLOWFLASH & SOFT XLED ■■■ 41

IPL332W-DANDY UNIT
◆ 1.5m ◆ 1.0m ◻ 7kg ◇ 34W
ORANGE/YELLOW FLASH ■■■ 67

IPL331W-LUCKY UNIT
◆ 1.0m ◆ 9m ◻ 5kg ◇ 25W
ORANGE/YELLOW FLASH ■■■ 44







IPL326W-BOHO BANNER
◆ 2.8m ◆ 0.8m □ 11kg ▲ 41W
FLASH 82





IPL087W-LIANO
◆ 3.0m ◆ 1.0m □ 12.8kg ▲ 95W
XLED & SLOWFLASH 76

IPL324W-BOHO GRAND
◆ 2.3m ◆ 0.9m □ 10kg ▲ 43W
FLASH 83

IPL115W-LYRE
◆ 2.0m ◆ 0.9m □ 6.1kg ▲ 40W
SLOWFLASH & XLED 63

IPL325W-BOHO
◆ 2.0m ◆ 0.9m □ 10kg ▲ 45W
FLASH 77

IPL272W-RIALTO
◆ 2.0m ◆ 1.0m □ 3kg ▲ 25W
FLASH & XLED 26



ITL327W-BOHO UNIT
◆ 1.0m ◆ 0.8m □ 5kg ▲ 24W
FLASH 48

TO ORDER



ITL033W



ITL272W





IPL039W-PENELOPE
◆ 2.0m ◆ 0.7m □ 5.9kg ⚒ 35W
FLASH 61

IPL039-PENELOPE
◆ 2.0m ◆ 0.7m □ 5.9kg ⚒ 35W

IPL151W-CASCADE
◆ 2.0m ◆ 0.9m □ 5.9kg ⚒ 45W

IPL272-RIALTO
◆ 1.5m ◆ 1.0m □ 5.9kg ⚒ 25W

IPL141W-ILIADE
◆ 1.0m ◆ 0.7m □ 7.6kg ⚒ 45W

IPL145W-LIV PETIT
◆ 1.2m ◆ 0.6m □ 3kg ⚒ 25W

TL311W-CLEA
◆ 1.1m ◆ 1.8m □ 0.5m ▲ 3.4kg ⚒ 25W

TL311R-CLEO
◆ 2.1m ◆ 1.8m □ 0.5m ▲ 3.7kg ⚒ 45W

ML019W-DANDY XL
◆ 1.4m ◆ 2.0m □ 0.5m ▲ 18kg ⚒ 152W

TL312W-CLEA RUBAN
◆ 0.8m ◆ 2.0m □ 0.0m ▲ 8kg ⚒ 45W

ML020W-DANDY RUBAN
◆ 0.4m ◆ 2.0m □ 0.0m ▲ 5kg ⚒ 27W

TL312R-CLEO RUBAN
◆ 0.8m ◆ 2.0m □ 0.0m ▲ 8kg ⚒ 45W





COSY

Close your eyes and breathe in the delicious scent of cinnamon that fills the alleyways of the Christmas market.

Pine green, red and gold are the key colours in this collection, which has a warm, traditional and gourmand feel. Lanterns of every variety are an integral part of this Cosy collection, an ode to festive winter traditions with family and friends.

TRADITION
WARM
COCOONING
PINE TREES
CANDLE
LANTERNS





IPL134W-OLYMPIE BANNER
 ◇ 2.8m ◇ 0.8m □ 9.7kg ▲ 50W
 ■ SLOWFLASH ■ 63

IPL114W-ZOE
 ◇ 2.0m ◇ 0.9m □ 8.7kg ▲ 65W
 ■ SLOWFLASH ■ 57

PL344W-BOA
 ◇ 0.6m ◇ 1.0m □ 1.0m ▲ 5.3kg ▲ 10W
 ■ FLASH

ITL113W-CALYPSO DOUBLE
 ◇ 0.9m ◇ 4.0m □ 15.1kg ▲ 110W
 ■ SLOWFLASH ■ 82

GX116LW-ACHILLE
 ◇ 0.7m ◇ 0.6m □ 3.6kg ▲ 15W
 ■ ANIME BOUGIE




IPL139W-NORDIKA 2D-GM
 ◇ 3.0m ◇ 1.2m □ 13.6kg ▲ 40W
 ■ SLOWFLASH ■ 43

IPL140W-NORDIKA 2D-PM
 ◇ 1.6m ◇ 0.7m □ 6.5kg ▲ 20W
 ■ SLOWFLASH ■ 21

PL344-BOA
 ◇ 0.6m ◇ 1.0m □ 1.0m ▲ 5.3kg ▲ 10W
 ■ FLASH





GX117LW-ULYSSE
 ◇ 2.0m ◇ 1.5m □ 1.5m ▲ 25.6kg ▲ 130W
 ■ SLOWFLASH ■ 11



GX117LW

GX117LW





IPL271R-COSY PETIT
◆ 1.5m ◆ 0.6m □ 3.5kg ▲ 30W
■ ■ ■ SLOWFLASH ■ 28

IPL271W-COSY PETIT
◆ 1.5m ◆ 0.6m □ 3.5kg ▲ 30W
■ ■ ■ SLOWFLASH ■ 28

ITL276R-COSY STAR UNIT
◆ 1.0m ◆ 0.9m □ 2.7kg ▲ 20W
■ ■ ■ SLOWFLASH ■ 38


ITL279W-COSY BALL UNIT
◆ 1.0m ◆ 0.8m □ 3.3kg ▲ 20W
■ ■ ■ SLOWFLASH ■ 40

ITL275R-COSY UNIT
◆ 2.0m ◆ 0.9m □ 6kg ▲ 40W
■ ■ ■ SLOWFLASH ■ 43

ITL278W-COSY TREE UNIT
◆ 1.0m ◆ 0.8m □ 3.2kg ▲ 20W
■ ■ ■ SLOWFLASH ■ 55

ITL277W-COSY ANGEL UNIT
◆ 1.0m ◆ 0.6m □ 2.4kg ▲ 20W
■ ■ ■ SLOWFLASH ■ 38





IPL076W-CASSIOPEE
◆ 3.0m ◆ 1.0m □ 12.2kg ▲ 60W
■ XLED & SLOWFLASH ■ 94

IPL076-CASSIOPEE
◆ 3.0m ◆ 1.0m □ 12.2kg ▲ 60W
■ XLED & SLOWFLASH ■ 94

IPL081W-SAMBA
◆ 2.3m ◆ 1.3m □ 6.9kg ▲ 45W
■ XLED & SLOWFLASH ■ 43

ITL076W-CASSIOPEE DOUBLE
◆ 1.0m ◆ 6.0m □ 23.4kg ▲ 120W
■ XLED & SLOWFLASH ■ 187

FCL080G-E
■ XLED & SLOWFLASH ■ 15W



IPL070B-TWISTER
◆ 2.0m ◆ 0.9m □ 6.5kg ▲ 35W
■ STARS & SLOWFLASH ■ 51



IPL070W-TWISTER
◆ 2.0m ◆ 0.9m □ 6.5kg ▲ 35W
■ STARS & SLOWFLASH ■ 51

VL045W-BLIZZARD VL
◆ 2.0m ◆ 2.2m □ 29kg ▲ 105W
■ XLED & FLASH ■ 225

ITL009-JF
◆ 3.0m ◆ 2.2m □ 2.2m ▲ 10.9kg ▲ 80W
■ XLED & FLASH ■ 16

ITL061-JF
◆ 0.9m ◆ 3.5m □ 3.5m ▲ 10.9kg ▲ 80W
■ XLED & FLASH ■ 16

ITL076W / IPL076W





ITL009
Joyeuses Fêtes



ITL061
Joyeuses Fêtes





2D



3D



3D



ITL053- SPHERE GM
◆ 1.0m ◆ 1.0m □ / ■ 2.8kg ⚡ 20W
FLASH 35

ITGL104- SPHERE FULL MM
◆ 0.5m ◆ 0.5m □ 0.3m ■ 1.7kg ⚡ 10W
SLOWFLASH

TGL71LW- SPHERE PLIABLE MM
◆ 1.0m ◆ 1.0m □ 1.0m ■ 11.5kg ⚡ 75W
FLASH








TGL71LWCL- CHERRY LIGHT SPHERE
◆ 1.0m ◆ 1.0m □ 1.0m ■ 11.5kg ⚡ 15W
FLASH


G-SPHER+- SPHERE
◆ 0.6m ◆ 0.6m □ 0.6m ■ 2.3kg ⚡ 12W
FLASH

G-MONT+- MONTGOLFIERE
◆ 0.6m ◆ 0.6m □ 0.6m ■ 2.3kg ⚡ 12W
FLASH

TGL72LWW- SPHERE PLIABLE GM
◆ 1.6m ◆ 1.6m □ 1.6m ■ 24.8kg ⚡ 165W
FLASH








Cristal

The Cristal collection brings a breath of freshness to your polar decoration. Delicate arabesques and more decorative lines warm up this glacial world. New snowflakes with softer designs in warm shades, mixing pure white and warm white, make up this range inspired by the nomadic peoples of the Far North.

POLAR
MOUNTAINS
FROSTY ATMOSPHERE
SNOWFLAKES
BLIZZARD
ARCTIC





8W-MILO BANNER
n ◀◀ 0.8m ■ 8.8kg ↵ 50W
STARS&FLASH ■ 43

8-MILO BANNER
n ◀ ▶ 0.8m ■ ■ ■
STARS&FLASH ■ ■ ■ 43



ITL127W-MILO ARC


ITL232W-LINE JF

◆ 1.0m ◆ 4.0m 



XLED&STA





IPL199-LINE BANNER
◆ 2.8m ◀ 0.8m □ 10.8kg ▲ 60W

FLASH&XLED&STARS ■ 83

IPL201-LINE GRAND
◆ 2.3m ◀ 0.9m □ 8.5kg ▲ 50W

FLASH&XLED&STARS ■ 67

IPL200-LINE DRAPEAU
◆ 2.0m ◀ 0.9m □ 8.5kg ▲ 50W

FLASH&XLED&STARS ■ 67



IPL199W-LINE BANNER
◆ 2.8m ◀ 0.8m □ 10.8kg ▲ 60W

FLASH&XLED&STARS ■ 83

IPL201W-LINE GRAND
◆ 2.3m ◀ 0.9m □ 8.5kg ▲ 50W

FLASH&XLED&STARS ■ 67

IPL200W-LINE DRAPEAU
◆ 2.0m ◀ 0.9m □ 8.5kg ▲ 50W

FLASH&XLED&STARS ■ 67



ITL314-WALLIS GRAND
◆ 1.6m ◀ 1.4m □ 9kg ▲ 42W

FLASH&STARS ■ 57

ITL314W-WALLIS GRAND
◆ 1.6m ◀ 1.4m □ 9kg ▲ 42W

FLASH&STARS ■ 57

ITL312-WALLIS
◆ 0.8m ◀ 0.8m □ 2.5kg ▲ 20W




STARS ■ 32

ITL312W-WALLIS
◆ 0.8m ◀ 0.8m □ 2.5kg ▲ 20W

STARS ■ 32





ITL312W / ITL314W + GP303W / PIX05B




IPL072W-ALYZE	IPL118W-BLIZZARD	IPL084-CRISTALLIN	ITL072W-ALYZE DOUBLE	TGL139W-BELLA
◆ 3.0m ◆ 1.0m □ 12.4kg ▲ 60W ■ STARS&XLED&SLOWFLASH ■ 102	◆ 2.3m ◆ 0.7m □ 10kg ▲ 60W ■ STARS&SLOWFLASH ■ 100	◆ 1.5m ◆ 0.6m □ 4.3kg ▲ 60W ■ XLED&SLOWFLASH ■ 35	◆ 1.0m ◆ 6.0m □ 24.5kg ▲ 120W ■ STARS&XLED&SLOWFLASH ■ 203	◆ 1.5m ◆ 1.5m □ 1.5m ▲ 18.3kg ▲ 120W ■ FLASH ■
PL250-TIVANO	PL250-TIVANO	PIX05B-XMAS PIX	ITL118W-GRAND BLIZZARD	
◆ 1.8m ◆ 0.9m □ 4.6kg ▲ 24W ■ STARS&FLASH	◆ 1.8m ◆ 0.9m □ 4.6kg ▲ 24W ■ STARS&FLASH	◆ 0.9m ◆ 0.9m □ 2kg ■ STARS&FLASH	◆ 1.0m ◆ 5.0m □ 24kg ▲ 135W ■ STARS&SLOWFLASH ■ 224	





IPL160-VENTURO	IPL150-THORN	IPL122-ALTHAIR	ITL160-VENTURO DOUBLE	ITL126-ASIA CURVE
◆ 3.0m ◆ 1.0m □ 11kg ⚒ 65W FLASH 99	◆ 2.0m ◆ 0.9m □ 6kg ⚒ 40W XLED&FLASH 62	◆ 1.5m ◆ 0.7m □ 4.2kg ⚒ 30W STARS&SLOWFLASH 54	◆ 1.0m ◆ 6.0m □ 22.6kg ⚒ 130W FLASH 197	◆ 1.0m ◆ 3.0m □ 16.3kg ⚒ 100W STARS&SLOWFLASH 201
VLO46-LINE VL	IPL126-ASIA	IPL126W-ASIA	ITL167-APELIOTE	
◆ 3.0m ◆ 2.0m □ 2.0m ⚒ 35.4kg ⚒ 210W XLED&FLASH 235	◆ 1.5m ◆ 0.6m □ 5.4kg ⚒ 40W SLOWFLASH 62	◆ 1.5m ◆ 0.6m □ 5.4kg ⚒ 40W SLOWFLASH 62	◆ 1.2m ◆ 4.0m □ 22.5kg ⚒ 150W STARS 166	



ITL160-VENTURO DOUBLE	ITL126-ASIA CURVE
◆ 1.0m ◆ 6.0m □ 22.6kg ⚒ 130W FLASH 197	◆ 1.0m ◆ 3.0m □ 16.3kg ⚒ 100W STARS&SLOWFLASH 201
ITL167-APELIOTE	
◆ 1.2m ◆ 4.0m □ 22.5kg ⚒ 150W STARS 166	

TO ORDER




stella

Whether shooting or sparkling, the star comes in every shape and shade to the delight of young and old, who come to admire this celestial show.

The star is also the symbol of magic, and all your wishes come true with the wave of a wand!

STAR
MAGIC
CONSTELLATION
SUPERNova
LUMINARY
SOLAR





IPL257- ROMAN BANNER
◆ 2.8m ◆ 0.8m ◻ 9kg ⚡ 30W
SLOWFLASH&STARS 43
TO ORDER

IPL257W- ROMAN BANNER
◆ 2.8m ◆ 0.8m ◻ 9kg ⚡ 30W
SLOWFLASH&STARS 43
TO ORDER

IPL257B- ROMAN BANNER
◆ 2.8m ◆ 0.8m ◻ 9kg ⚡ 30W
SLOWFLASH&STARS 43
TO ORDER

ITL262- ROMAN CURVE
◆ 1.0m ◆ 4.0m ◻ 14.5kg ⚡ 65W
SLOWFLASH&STARS 101
TO ORDER

ITL262B- ROMAN CURVE
◆ 1.0m ◆ 4.0m ◻ 14.5kg ⚡ 65W
SLOWFLASH&STARS 101
TO ORDER


ITL261- ROMAN UNIT
◆ 1.0m ◆ 0.9m ◻ 2.9kg ⚡ 20W
SLOWFLASH&STARS 18
TO ORDER




ITL261B- ROMAN UNIT
◆ 1.0m ◆ 0.9m ◻ 2.9kg ⚡ 20W
SLOWFLASH&STARS 18
TO ORDER



ITL261W / IPL258W







IPL190B-ASTRAL BANNER
◆ 2.8m ◆ 0.8m ■ ▲ 10.1kg ◆ 55W
■ XLED&STARS&SLOWFLASH ■ 67
TO ORDER

IPL189B-ASTRAL DRAPEAU
◆ 3.0m ◆ 1.0m ■ ▲ 13.5kg ◆ 65W
■ XLED&STARS&SLOWFLASH ■ 128
TO ORDER

IPL190W-ASTRAL BANNER
◆ 2.8m ◆ 0.8m ■ ▲ 10.1kg ◆ 55W
■ FLASH&XLED&STARS ■ 67
TO ORDER

IPL189W-ASTRAL DRAPEAU
◆ 3.0m ◆ 1.0m ■ ▲ 13.5kg ◆ 65W
■ XLED&STARS&SLOWFLASH ■ 128
TO ORDER


IPL190R-ASTRAL BANNER
◆ 2.8m ◆ 0.8m ■ ▲ 10.1kg ◆ 55W
■ FLASH&XLED&STARS ■ 67
TO ORDER

IPL189R-ASTRAL DRAPEAU
◆ 3.0m ◆ 1.0m ■ ▲ 13.5kg ◆ 65W
■ XLED&STARS&SLOWFLASH ■ 128
TO ORDER

ITL094W-GRANDE STELLA
◆ 1.2m ◆ 6.0m ■ ▲ 26.4kg ◆ 195W
■ XLED&SLOWFLASH ■ 25
TO ORDER

ITL191W-ASTRAL TRAVERSE
◆ 0.9m ◆ 4.0m ■ ▲ 20kg ◆ 120W
■ STARS&XLED&SLOWFLASH ■ 167
TO ORDER





IPL094W-STELLA
 ▲3.0m ▲1.0m ■ 10.8kg ⚡ 70W
 ■ XLED & SLOWFLASH ■ 9



IPL042W-CELESTE
 ▲3.0m ▲0.9m ■ 10kg ⚡ 75W
 ■ FLASH ■ 92

IPL228B-ASTRAL ROLL
 ▲1.3m ▲1.1m ■ 6kg ⚡ 35W
 ■ STARS & XLED & SLOWFLASH ■ 51

IPL340W-ALPS
 ▲2.3m ▲1.0m ■ 9kg ⚡ 70W
 ■ FLASH ■ 65

IPL228W-ASTRAL ROLL
 ▲1.3m ▲1.1m ■ 6kg ⚡ 35W
 ■ STARS & XLED & SLOWFLASH ■ 51


IPL117W-BLIZZARD BANNER
 ▲2.8m ▲0.8m ■ 10.2kg ⚡ 45W
 ■ SLOWFLASH ■ 76

ITL083W-ANTHARES MM
 ▲0.9m ▲0.9m ■ 3.3kg ⚡ 35W
 ■ SLOWFLASH ■ 37

ITL083W-ANTHARES GM
 ▲1.2m ▲1.2m ■ 5.6kg ⚡ 50W
 ■ SLOWFLASH ■ 47

ITL082W-CAJUN JF
 ▲1.6m ▲4.6m ■ 28.2kg ⚡ 270W
 ■ FLASH ■ 175
 ■ TO ORDER

ITL132W-BOLERO ARC
 ▲1.2m ▲4.0m ■ 19.5kg ⚡ 135W
 ■ XLED & SLOWFLASH ■ 162



IPL340W



IPL042W



ITL020B



ITL020W




ITL020B-GIVRE

◆ 1.0m	◆ 0.9m	■	▲ 4.5kg	⚡ 40W
[Blue]	[White]			SLOWFLASH ■ 47



ITGL112



ITGL112W



ITGL112-STAR 5

◆ 0.8m	◆ 0.8m	■ 0.2m	▲ 1.5kg	⚡ 10W
[Blue]	[White]			SLOWFLASH ■ 47


ITL020W-GIVRE

◆ 1.0m	◆ 0.9m	■	▲ 4.5kg	⚡ 40W
[Yellow]	[White]			FLASH ■ 47

ITL115



ITL115W



ITL115-LILLY

◆ 0.5m	◆ 0.4m	■	▲ 4kg	⚡ 16W
[White]	[White]			■ 2

ITGL112W-STAR 5

◆ 0.8m	◆ 0.8m	■ 0.2m	▲ 1.5kg	⚡ 10W
[Orange]	[White]			■ 2

G-STAR+



ITL115W



G-STAR+- STAR


◆ 0.6m	◆ 0.6m	■ 0.6m	▲ 2.3kg	⚡ 12W
[White]	[White]			■ 2

G-STARW+- STAR

◆ 0.6m	◆ 0.6m	■ 0.6m	▲ 2.3kg	⚡ 12W
[Yellow]	[White]			■ 2




ITGL112



ITL115W / ITL115



ITL020W / ITL115W






DUO COLORS® RANGE

2 in 1 products!

FROM ONE YEAR TO THE NEXT, SWITCH YOUR DECOR FROM WARM WHITE TO PURE WHITE ACCORDING TO YOUR DESIRES!



You can choose from a warm white or pure white.

By reversing the connectors, you can obtain either a pure white decor/ pure white flash or a warm white decor/ warm white flash.



GX118DC-DUO COMETE
◆ 2.6m ◆ 2.2m ◆ 1.2m ◆ 27.4kg ◆ 35W
FLASH

GX266DC-MINI MAGIC
◆ 2.5m ◆ 1.6m ◆ 1.6m ◆ 28.5kg ◆ 90W
FLASH



ITL288DC-DUO FLAKE
◆ 1.0m ◆ 1.0m ◆ 4.2kg ◆ 25W
FLASH 65

IPL285DC-DUO PETIT
◆ 1.5m ◆ 0.6m ◆ 3.5kg ◆ 25W
FLASH&XLED 38


IPL284DC-DUO GRANDE
◆ 3.0m ◆ 1.0m ◆ 9kg ◆ 35W
FLASH 13

IPL286DC-DUO
◆ 2.1m ◆ 0.5m ◆ 4.2kg ◆ 15W
FLASH&STARS 37

IPL283DC-DUO LINE
◆ 1.5m ◆ 0.7m ◆ 4kg ◆ 20W
FLASH&XLED 58

ITL282DC-DUO DOUBLE
◆ 0.9m ◆ 4.0m ◆ 12.6kg ◆ 50W
XLED&FLASH 140

ITL282DC-DUO LINE GRAND
◆ 2.0m ◆ 0.9m ◆ 6.2kg ◆ 25W
FLASH&XLED 17



SOLAR RANGE

Varied decorations that adapt to all your decoration themes and work with solar energy

Thanks to our new solar-powered rechargeable battery, you can combine lighting with energy efficiency.

Once your decor is in place, position the solar box on top of it facing the right way, set your switch-on and switch-off times and enjoy your lighted decorations.


Technical details:

- 8 to 10 hours of recharging with optimal sunlight for 7 hours of lighting.
- Your lights can be programmed to operate for 5, 6 or 7 hours.

Enter decor reference no. + PIXSOL2

PIXSOL2

20W panel power
7,2W power output





When you set it up, make sure it is facing the right way to get the most sun during the day.
These decorations are equipped only with 24V LED garlands.

**Consumption:
Zero watts !
Zero € !**

100%
autonomous



+



IPS289W-STARS S.	◆ 1.2m ◆ 0.60m ◆ 4.0kg ◆ 8W
FLASH&STARS	30
TO ORDER	

IPS280W-QUADRILLE S.	◆ 2.0m ◆ 0.9m ◆ 7.0kg ◆ 11W
FLASH&LED&STARS	57
TO ORDER	

IPS280-QUADRILLE S.	◆ 2.0m ◆ 0.9m ◆ 7.0kg ◆ 11W
FLASH&LED&STARS	57
TO ORDER	

IPS290-RIBBON S.	◆ 1.8m ◆ 0.43m ◆ 5.0kg ◆ 10W
FLASH&XLED	38
TO ORDER	

IPS264W-BLIZZY S.	◆ 1.2m ◆ 0.5m ◆ 3.0kg ◆ 4W
FLASH&STARS	28
TO ORDER	

IPS281W-RIBBON S.	◆ 1.2m ◆ 0.6m ◆ 4.0kg ◆ 7W
XLED&STARS	28
TO ORDER	

PLAY MAGIC

Play in augmented reality!

Allowing audiences to do things like take a photo with Father Christmas or play with Charlie the Unicorn, our augmented reality apps add virtual characters into the real world, leaving the public laughing and amazed.

Children and adults can easily take part in the fun using a smartphone enjoying an unforgettable experience that transforms reality into a unique performance.

How does it work?

For the public, the idea is simple: When users approach the Play Magic banner, the app they have pre-installed on their phone automatically unlocks to give them access to the games.

They can then share the experience on their social media pages. The public app features your branding and a link to your website or social media.

For the city:

The games app has a subscription model valid while the illuminations are up, with games updated each year.

Apart from this, all you need to do is install the banner near the illuminations to tell the public they can enjoy a free game on their phone in the location. There is no need for any connection. The app's success also depends on you advertising it on displays in your town/city and on your social media pages.

We can assist you in setting up your communications (Réf. ARCOM below).

Reference	Description
AR001	3 games pack (chosen from the 7 existing games) + 1 Totem
AR002	5 games pack (chosen from the 7 existing games) + 1 Totem
ARTOT02	1 additional Totem
ARCOM	Augmented Reality Communications Pack (non-printed poster, web banner and smartphone-format image).

Games available:

FR : AR001
EN : AR001-EN
ES : AR001-ES



230 cm
50 cm





EXCLUSIVE POSTCARD CONCEPT

Discover our customizable postcards featuring the name and symbols of your city!

Our postcards, crafted with 3D printing and eco-friendly materials, are more than just cards: they're customizable to include the name of your city, town, or region, along with iconic symbols of your local culture and heritage.

Imagine a piece of art that proudly reflects your geographic identity while adding a personal and modern touch to your space.


Contact your account manager to design your unique postcard together.



ECO-FRIENDLY MATERIALS

MOUNTED ON A FRAME FOR ADDED STABILITY

CUSTOMIZABLE & MADE-TO-MEASURE



3,60m ← →



2,30m ↑ ↓



BI-SEASON ARCH & TREE

Discover our dual-season urban furniture that adapts with the changing seasons!


First of all select your base:

A bright arch composed of pure white LEDs, livened up with wooden benches

A shade tree endowed with pure white LED spots and a white wooden bench base equipped with USB plugs.

Then, for a colourful summer look, add the SUMMER passive decoration kit to this base.

For a frosted look for year-end celebrations, add the WINTER bright decoration kit.



HIGH-QUALITY WOOD BENCH

USB PORT

SPOTLIGHT



BASE	◆	◆	■	○	●
	3.0m	3.2m	3.2m	127kg	GX242L

KIT	◆	◆	■	○	●
	27.0m		56.7kg	KIT1-242	

BASE	◆	◆	■	○	●
	3.0m	3.2m	3.2m	127kg	GX242L

KIT SUMMER	◆	◆	■	○	●
	32.0m		38kg	KIT2-242	



BASE ARCH	◆	◆	■	○	●
	3.5m	5.0m	3.6m	245.3kg	SL134

KIT ARCH	◆	◆	■	○	●
	39.0m		41kg	KIT1-134	

BASE ARCH	◆	◆	■	○	●
	3.5m	5.0m	3.6m	245.3kg	SL134

KIT ARCH SUMMER	◆	◆	■	○	●
	37.0m		21.7kg	KIT2-134	



PALM	◆	◆	■	○	●
	3.6m	3.2m	3.2m	160kg	GX243LW



2D & 3D LETTER

Stand Out! Showcase your identity with our XXL Lettering

Place them wherever you like—on roundabouts, in front of your town hall, or near any iconic landmark in your community.

We offer various options for volume, size, color, and weighted base:

Our 2D letters come in Recyprint gold and white, made from recycled plastic bottles and fully recyclable. They are available in heights of 1.4m or 2m. The lightweight, discreet aluminum frame is crafted from recycled material and designed to hold your weighted base.

This year, we're introducing 3D letters with added depth. Covered in Flexiprint—our new flexible, recyclable material made from recycled plastic—these letters feature white front and back faces with gold-colored edges.

Two sizes are available:

1.8m with a depth of 60cm


1.4m with a depth of 40cm

These 3D letters also come with a black lacquered base that serves as a weighted support, offering a turnkey, ready-to-install lettering solution.

All our lettering includes warm white spotlights, so your name will shine at nightfall.



ECO-FRIENDLY MATERIALS



DISCREET BLACK LACQUERED FRAME



SPOTLIGHT

2D LETTER - WHITE

TO ORDER



2D LETTERS BLANC	◆	◆	▢	▢	▢	▢
1.4m	15.5kg	LETTRPMB				

2D LETTERS XL-BLANC	◆	◆	▢	▢	▢	▢
2.0m	18.5kg	LETTRGMB				

2D LETTER - GOLD

TO ORDER



2D LETTERS OR	◆	◆	▢	▢	▢	▢
1.4m	15.5kg	LETTRPMO				

2D LETTERS XL-OR	◆	◆	▢	▢	▢	▢
2.0m	18.5kg	LETTRGMO				

3D LETTER WITHOUT BASE PLATE

TO ORDER



3D LETTERS	◆	◆	▢	▢	▢	▢
1.4m	1.5m	0.4m	15kg	LET3DPM		

3D LETTERS XL	◆	◆	▢	▢	▢	▢
1.8m	1.9m	0.6m	25kg	LET3DGM		

3D LETTER WITH BASE PLATE

TO ORDER



3D LETTERS-BASE	◆	◆	▢	▢	▢	▢
1.4m	1.5m	0.4m	97kg	LET3DPM-P		

3D LETTERS XL-BASE	◆	◆	▢	▢	▢	▢
1.8m	1.9m	0.6m	119kg	LET3DGM-P		



DRESSING CITY BARRIERS & PLANTERS

2D ground decor

Adorn your urban furniture with colourful environmentally-friendly decorations!

Marine, floral or butterfly theme – customise the decoration of your town barriers or planters. You can choose the background colour of the decoration as well as the motif which will be applied on top, everything will be tailor-made in Bioprint, our biodegradable, recyclable material.

Customised project, contact us.



TREE CORSET

3D ground decor

Embellish your tree trunks!

Our tree corsets will adorn and light up your trees while protecting them and ensuring optimal hold. Available in bright or passive versions and in a wide array of colours, there are unlimited combinations to liven up your urban areas or green spaces with style and creativity.

Customised project, contact us.





FUNNY ANIMAL CONTAINERS

Our funny animals join you on your recycling journey!

Educating young people about recycling is a major challenge, and we have met it with creativity and humor.

We have transformed this vital initiative into a fun and joyful collective act with animal-shaped recycling containers. Placed in city centers or along beaches, whales, fish, and turtles house recycling bins.


The collected plastic bottles are retrieved by specialized organizations, from which we source the raw material. This is then fed into our printers to produce structures made from Recyprint, our material crafted from PET (polyethylene terephthalate) sourced from the food industry.



COMPATIBLE LARGE-FORMAT CONTAINER

DOOR INTEGRATED INTO THE DESIGN

COMMUNICATION ON THE PRINCIPLE OF COLLECTION



SIMON ◆ ◇ □ ☰ ■
2.1m 1.5m 3.3m 54.5kg GX110

TO ORDER

SIMON ◆ ◇ □ ☰ ■
2.1m 1.5m 3.3m 54.5kg GX110-UK

TO ORDER



BULLE ◆ ◇ □ ☰ ■
2.3m 2.1m 3.7m 86kg GX107

TO ORDER

BULLE ◆ ◇ □ ☰ ■
2.3m 2.1m 3.7m 86kg GX107-UK

TO ORDER



GAIA ◆ ◇ □ ☰ ■
2.3m 2.1m 4.0m 82kg GX108

TO ORDER

GAIA ◆ ◇ □ ☰ ■
2.3m 2.1m 4.0m 82kg GX108-UK

TO ORDER





RANGE

Garlands and light decorations

• MULTICOLOURED RGBWW/RGB RANGE	162–167
• LED GARLANDS	168–185
• LED CURTAINS	186–203
• LED STALACTITES	204–213
• CEILINGS AND BRAIDS	214–227
• SUSPENSIONS AND DECORATIONS	228–247
• PROJECTORS	248–253
• CONTROL SYSTEM	254–259
• TECHNICAL PAGES	260–288



LEGENDS

- ◆ Height
- ◆ Length
- Depth
- ⚡ Voltage
- Cable colour
- ✳ Flash colour
- LED Colour
- New
- Number of runs
- Number of connectable garlands
- Indoor/outdoor use
- Type of cable
- Protection class
- Power cord supplied
- Impact rating
- Exclusive 230V octoplus by blachere® range
- Exclusive 24V octoplus by blachere® range
- Exclusive 12V octoplus by blachere® range

CONTENTS

Blachere LEDs


An exclusive 100% Blachere® innovation

Taking a practical approach to innovation, our R&D department has developed the all-new Led+ in fixed and slowflash versions to give your projects a real boost! The result of a collaboration with Nichia®, the world leader in LEDs, we now offer you an exclusive new Led range.

+ bright, + robust, + long life, + uniform colour

The new technical characteristics of Led+ are:

- > Design optimised and registered to promote the lighting efficacy of our solutions (inverted cone principle).
- > Maximised heat dissipation for longer LED life.
- > Uniform phosphor deposition for uniform light output.
- > 2-year guarantee
- > Optimum protection rating: IP66/IP69
- > 230V Octoplus by Blachere IP67 connectors

LED+ RANGE:
MORE EFFICIENT, LESS ENERGY-CONSUMING

Blachere is committed to tackling environmental and energy issues:

In 2024, we will be lowering the power consumption of our LED+ range in order to reconcile illuminations with energy efficiency

As a result of extensive work on the energy performance of our LEDs, we have reduced the wattage of our LED+ range by an average of 15%, while maintaining its brightness and lifespan (the wattage of each product has been updated in our technical specification tables).

As a result, our products consume less energy while maintaining the same high light density.

The different types of Blachere® LEDs.



LED+ :
See box on the left



LED Classique :
A robust and stable encapsulated LED with an inverted interior cone.



LED RGBWW/RGB :
A special capsule for better color diffusion.



Micro LED :
A LED delicately placed on a micro cable, creating a fine and refined effect.



LED SMD :
The ultimate electrical component, manufactured by an automatic machine.

GARLAND iLED ColorTech by Blachere®

RGBWW - multicoloured




RGBWW technology completely reinvented!

Over the last 2 years, we have developed a new RGBWW LED, the **brightest on the market**, which can be controlled pixel by pixel using a combination of software and "open command" animations (DMX compatible).

With incredible luminosity and a range of unique colours, our RGBWW garland opens up a host of possibilities for illuminated decorations (garland configuration or curtain configuration, for trees and facades).

This technology requires a personalised analysis tailored to your project


Ask for an analysis!



Brighter (WW 10 lumen per pixel)

New shape of LED

Up to 6 end-to-end garlands
(768 linear pixels)
> 490 000 pixels



Free pixel addressing

Open software (DMX compatible), professional and intelligent (multilingual)

Single colours / shades (2300/2500K warm white)

Reinforced (nylon cable)


GARLAND iLED ColorTech by Blachere®

RGBWW - multicoloured



Transform an avenue or a square into a unique, multicolored, and animated spectacle.

By equipping your trees with iLED ColorTech RGBWW, you become the conductor of this show, creating your own animations according to your preferences and schedule (hourly, daily, weekly, or even monthly, for example).



Create a multicolored and animated tent above a square or roundabout. An aerial installation that creates a magical starry sky, fully customizable to your preferences.




Transform your main avenue into a unique gathering place and energize your city center by creating a multicolored light show.

The endless animation possibilities will allow you to create a spectacle (for example, every half hour) and attract a crowd that loves light events! A great way to boost your local economy during the festive season...





Why not create your own giant light screen on the façade of your town hall? Each evening, attract a crowd of spectators eager to enjoy the light show, specially designed for the occasion, to complement your Christmas market or city festivities!





MULTICOLOURED RGB CONTROLLABLE GARLAND

colour changing



description	◆	LED	P (W)	■	FL525RGB
RGB - 5V	3,75 m	25 RGB	7,5	2	


Caméléon set	input voltage	output voltage	no. of pixels	P (W)	no. of outputs	Ref
	230V	5V	10 x 50 = 500	150	10	PRX10RGB

PRODUCT DETAILS


Customise the lighting, colour and animation of your trees, on a monthly, weekly or special event basis throughout the year.

For a tree of 8 to 10m:
 - 20 FL525RGB strands for 10 radians of 7.50m (2x3.75),
 - a PRX10RGB box
 - the Cameleon application on your smartphone.
 Maximum colour spectrum thanks to RGB LED technology.

Communication via Bluetooth 5 between communications, Wi-Fi communication between phone + sets.



DUO COLORS® GARLAND *flash*



FLASH

◆	LED	FLASH	P (W)	□	■
20m	128	32	11,5	5	530WWF

PRODUCT DETAILS


2 products in 1!
Your garland can be either warm white or pure white.

Reverse the connection to obtain pure white/pure white flash or warm white/warm white flash. See DUO COLORS® Decor Collection.



SPARKLIGHT® LED+ GARLANDS

slowflash or static



SLOWFLASH

◆	LED	SLOWFLASH	P (W)	■	□
20m	108 ⚪	52 ⚪	10	5	FL590F+ FL590BF+
20m	108 ⚫	52 ⚫	10	5	FL590WF+ FL590WBF+
20m	108 ⚢	52 ⚢	10	5	FL590BLF+
20m	108 ⚠	52 ⚠	10	5	FL590RF+

STATIC

◆	LED	SLOWFLASH	P (W)	■	□
20m	160 ⚪	-	10	5	FL590+ FL590-B+
20m	160 ⚫	-	10	5	FL590W+ FL590W-B+
20m	160 ⚢	-	10	5	FL590BL+
20m	160 ⚠	-	10	5	FL590R+

ACCESSORIES NEEDED TO OPERATE THESE PRODUCTS

■	□
1,50 m	230V power supply cable
0,30 m	bridge rectifier
0,20 m	bridge rectifier

FY08+ FY08-B+
FY043A+ FY043A-B+
FY041A+ FY041A-B+

PRODUCT INFO

INNOVATION Our optimized LED+

**-15% reduction in electrical consumption
(on average) +brightness**

Blachere exclusive
- Registered design
- High brightness
- Shock resistant IK06
- Long lifespan
- Stable colour
- IP 66/69 protection rating. Maximum rating allowed for a 230V product
- Flexible connectivity thanks to the extensive Octoplus 230V by Blachere range.

2 YEARS GUARANTEE
conditions : contact us




SPARKLIGHT® GARLANDS

flash or static



20 m



100% FLASH

◆	LED	FLASH	P (W)	□	■	□
20m	-	80	6	5	510-FX	

FLASH

◆	LED	FLASH	P (W)	□	■	□
20m	190	30	8	5	512-FX	
20m	190	30	8	5	512W-FX	
20m	150	50	12	5	511-FX	511B-FX
20m	150	50	12	5	510W-FX	510BW-FX
20m	150	50	12	5	510B-FX	
20m	150	50	12	5	510R-FX	
20m	150	50	15,5	5	510P-FX	

STATIC

◆	LED	FLASH	P (W)	□	■	□
20m	200	-	15	5	508	508-B
20m	200	-	15	5	508W	508W-B
20m	200	-	15	5	508B	
20m	120	-	8	5	512C	
20m	120	-	8	5	512CW	

PRODUCT INFO

Proven reliability.
Power supply with connecting socket included.
Wide range of Octoplus 230V by Blachere accessories available.

High flash concentration on FX models.
Increased waterproofing thanks to optimum protection rating.



SPARKLIGHT® 24V GARLANDS

flash or static



WITH PVC CABLE



FLASH

◆	LED	FLASH	P (W)	□	■
20m	168 ⚪	28 ⚪	5	5	FL502-FX
20m	168 ⚫	28 ⚪	5	5	FL502W-FX
20m	168 ⚢	28 ⚪	5	5	FL502B-FX
20m	168 ⚠	28 ⚪	5	5	FL502R-FX

STATIC

◆	LED	FLASH	P (W)	□	■
20m	196 ⚫	-	5	5	501W

WITH RUBBER CABLE (PERMANENT USE)



STATIC

◆	LED	FLASH	P (W)	□	■
20m	196 ⚫	-	6,2	4	501CW

switch-mode power supply 24V dc 25W - sold separately
PRTR24V

PRODUCT INFO


Very low voltage ideal for safe installations within the reach of the public.

High protection rating to withstand dirt and moisture. Long lengths made possible by connecting several garlands using one transformer.

Ref 501CW: more durable rubber cable, ideal for permanent use.

Wide range of Octoplus 24V by Blachere accessories

TWIGS GARLANDS



PRODUCT INFO

Save 40 % on installation time!

Quick and easy tree wiring thanks to the double-output Y connector FY030M.


Operates with 24V transformer 24V FY04BRIN.

3 outputs for twig BRIN180/180W supplied with 3 x 2m extension leads for connecting up to 6 sets of 3 branches on a single power supply.





SET OF 3 TWIGS

◆	LED	P (W)	■
3X1.80m	3X161	3x5	BRIN180
3X1.80m	3X161	3x5	BRIN180W
24V - 3 output transformer for BRIN180/180W			FY04BRIN
double output Y connector			FY030M



CHERRYLIGHT® GARLAND *multicoloured*






SPARKLIGHT LED SUPER BRIGHT® GARLAND *flash*



L : 40 m



PLUS PRODUIT

INNOVATION 2024 Our optimized LED+

**-15% reduction in electrical consumption
(on average) +brightness**

Recreate the most beautiful avenue in the world in your town!

A product and animation exclusively developed for the Champs-Élysées is now available to all our clients.

Blachere Illumination, the official supplier of the «Champs-Élysées» Committee.

FLASH



◆	FLASH	P (W)	■
40m	80	20	2

560-F



LEDMOSPHERE GARLANDS

static



STATIC

◆	LED	P (W)	□	■
10.0m	30	14	10	600W
50.0m	150	70	2	650W

PRODUCT INFO

Garland packaged in rolls and mounted on a steel wire which will allow an easy installation and a greater resistance.

Compatible with the Octoplus 230V range. Carabiners supplied.



GARLANDS with B22 sockets



N

NEW CONSTRUCTION 2025

ROLLS OF B22 SOCKET GARLANDS - PLUG NOT INCLUDED

◆	description	cable section	B22	B22	B22
100.00m	roll of garland 1 socket/m	2 x 1,5 mm ²	■ GR098C	■ GR098CN	
100.00m	roll of garland 2 sockets/m	2 x 1,5 mm ²	■ GR099C	■ GR099CN	
100.00m	roll of garland 3 sockets/m	2 x 1,5 mm ²	■ GR100C	■ GR100CN	□ GR100C-B
50.00m	roll of garland 4 sockets/m	2 x 1,5 mm ²	■ GR112C	■ GR112CN	
50.00m	roll of garland 5 sockets/m	2 x 1,5 mm ²	■ GR113C	■ GR113CN	

GARLANDS WITH B22 SOCKETS - PLUG INCLUDED

◆	description	cable section	B22	B22
9.00m	garland of 20 sockets	2 x 1,5 mm ²	■ GR1C	■ GR1CN
15.00m	garland of 40 sockets	2 x 1,5 mm ²	■ GR2C	

PRODUCT INFO

Customise your garland with different bulbs suggested on p185 and make up your own eye-catching effect.

Replace your old incandescent bulbs with LED bulbs, new technology with vintage look but more economical so more ecological.



B22/E27 BULBS & STARFLASH®



PRODUCT INFO

The LDL series is a classic of Blachere lighting. A registered model, the particular arrangement of the LEDs in the bulb globe gives a «filament effect» similar to the incandescent bulbs of yesteryear.

The polycarbonate globe guarantees an increased solidity (IK06).

The LDLFL-B22 recreates the effect of a flame, regardless of the mounting direction.

F722-L / F732-L

A historical product that is easy to use on a B22 lampholder.
Produces 1 flash approximately every 3 seconds.



description	B22	E27	B22	B22	B22
type of globe	polycarbonate	polycarbonate	polycarbonate	polycarbonate	polycarbonate
ø of globe	45 mm	45 mm	45 mm	36 x 115 mm	
voltage	230V	230V	230V	230V	230V
intensity	3,68VA	3,68VA	3,68VA		
wattage	16 mA max/ 0,5W	16 mA max/ 0,5W	16 mA max/ 0,5W	3W	1W
packing	set of 25	set of 25	set of 25	unit	unit
pure white	LDL11-B22	LDL11-E27	LDLH11		F722-L
warm white	LDL11W-B22	LDL11W-E27	LDLH11W		F732-L
amber	LDL12-B22	LDL12-E27	LDLH12	LDLFL-B22	
red	LDL13-B22	LDL13-E27	LDLH13		
blue	LDL14-B22	LDL14-E27	LDLH14		
green	LDL16-B22	LDL16-E27	LDLH16		
pink	LDL18-B22	-	LDLH18		

Low power consumption bulb - Note : use the appropriate power (16mA i.e 3,68VA) to calculate the rating of your network (cable section area, circuit breaker, power required etc.). Use 0,5W per bulb to calculate the power consumption.

In outdoor use, must be mounted on garland with B22 sockets minimum IPX4 with waterproof seal fitted.



JOYLIGHT® LED+ CURTAINS slowflash or static



SLOWFLASH

◆	◆	LED	SLOW FLASH	P (W)	¶	■	□
1,5m	2m	150 (●)	60 (sun)	13	15	27	FL74F+
1,5m	2m	150 (●)	60 (sun)	13	15	27	FL74WF+
3m	2m	240 (●)	120 (sun)	25	15	18	FL70F+
3m	2m	240 (●)	120 (sun)	25	15	18	FL70WF+
5m	2m	360 (●)	180 (sun)	60	15	9	FL75F+
5m	2m	360 (●)	180 (sun)	60	15	9	FL75WF+
7m	2m	510 (●)	240 (sun)	60	15	9	FL72F+
7m	2m	510 (●)	240 (sun)	60	15	9	FL72WF+
10m	2m	690 (●)	360 (sun)	69	15	9	FL79F+
10m	2m	690 (●)	360 (sun)	69	15	9	FL79WF+

STATIC


◆	◆	LED	SLOW FLASH	P (W)	¶	■	□
1,5m	2m	210 (●)	-	13	15	27	FL74+
1,5m	2m	210 (●)	-	13	15	27	FL74W+B+
3m	2m	360 (●)	-	25	15	18	FL70+
3m	2m	360 (●)	-	25	15	18	FL70W+B+
5m	2m	540 (●)	-	60	15	9	FL75+
5m	2m	540 (●)	-	60	15	9	FL75W+B+
7m	2m	750 (●)	-	60	15	9	FL72+
7m	2m	750 (●)	-	60	15	9	FL72W+B+
10m	2m	1050 (●)	-	69	15	9	FL79+
10m	2m	1050 (●)	-	69	15	9	FL79W+B+

ACCESSORIES NEEDED TO OPERATE THESE PRODUCTS

◆	■	□
1,50 m	230V power supply cable	FY08+ FY08-B+
0,30 m	bridge rectifier	690W max FY043A+ FY043A-B+
0,20 m	bridge rectifier	230W max FY041A+ FY041A-B+

FY08... FY043A...

requires 230V power supply cable L: 1,50m FY08+ type... and bridge rectifier FY043A type...



PRODUCT INFO

INNOVATION Our optimized LED+



-15% reduction in electrical consumption
(on average) +brightness

Blachere exclusive
- Registered design
- High brightness
- Shock resistant IK06
- Long lifespan
- Stable colour
- IP 66/69 protection rating. Maximum rating allowed for a 230V product
- Flexible connectivity thanks to the extensive Octoplus 230V by Blachere range.

2 YEARS GUARANTEE
conditions : contact us



JOYLIGHT LED SUPER BRIGHT® CURTAIN flash



PRODUCT INFO

INNOVATION 2024 Our optimized LED+

**-15% reduction in consumption (on average)
+brightness**

Recreate the most beautiful avenue in the world in your town!

A product and animation exclusively developed for the Champs-Élysées is now available to all our clients.

Blachere Illumination, the official supplier of the «Champs-Élysées» Committee.

FLASH

◆	◆	FLASH	P (W)	■	■	■
2m	6m	80	20	8	5	260-F



JOYLIGHT® CURTAINS

flash or static




FLASH

◆	◆	LED	FLASH	P (W)	■	□	□
0.8m	2.0m	140	28	14	14	30	21CBFX
0.8m	2.0m	140	28	14	14	30	21CWBFX
1.5m	2.0m	210	30	15	15	25	24CBFX
1.5m	2.0m	210	30	15	15	25	24CBLFX
1.5m	2.0m	210	30	15	15	25	24CRFX
1.5m	2.0m	210	30	15	15	25	24CWBFX
3.0m	2.0m	420	56	33	14	16	20CBFX
3.0m	2.0m	420	56	33	14	16	20CBLFX
3.0m	2.0m	420	56	33	14	16	20CRFX
3.0m	2.0m	420	56	33	14	16	20CWBFX
5.0m	2.0m	900	90	55	15	12	25CBFX
5.0m	2.0m	900	90	55	15	12	25CBLFX
5.0m	2.0m	900	90	55	15	12	25CRFX
5.0m	2.0m	900	90	55	15	12	25CWBFX
7.0m	2.0m	1200	120	80	15	8	22CBFX
7.0m	2.0m	1200	120	80	15	8	22CWBFX
10.0m	2.0m	1200	135	84	15	8	29CBFX
10.0m	2.0m	1200	135	84	15	8	29CWBFX

STATIC

◆	◆	LED	FLASH	P (W)	■	□	□
1.5m	2.0m	342	-	30	18	20	24C-B
1.5m	2.0m	342	-	30	18	20	24CW-B
3.0m	2.0m	540	-	35	18	15	20C-B
3.0m	2.0m	540	-	35	18	15	20CWB-B
5.0m	2.0m	900	-	65	18	9	25C-B
5.0m	2.0m	900	-	65	18	9	25CWB-B
7.0m	2.0m	1080	-	72	18	9	22C-B
7.0m	2.0m	1080	-	72	18	9	22CWB-B
10.0m	2.0m	1350	-	58	18	10	29C-B
10.0m	2.0m	1350	-	58	18	10	29CWB-B



PRODUCT INFO

Ideal for decorating facades, trees or for cross-street motifs.

Up to 30 curtains on the same power supply.



Compatible with the entire range.

Connection options with the Octoplus 230V by Blachere® accessories.



ECO LIGHT CURTAINS

flash or static



N

◆	◆	LED	FLASH	P (W)	■	□	□
1.5m	2.0m	180	30	15	15	20	ECOX24W-F
3.0m	2.0m	315	45	20	15	15	ECOX20W-F
5.0m	2.0m	512	64	30	16	12	ECOX25W-F

STATIC

◆	◆	LED	FLASH	P (W)	■	□	□
3.0m	2.0m	360	-	20	15	15	ECOX20-B
3.0m	2.0m	360	-	20	15	15	ECOX20W-B
7.0m	2.0m	750	-	50	15	7	ECOX22-B
7.0m	2.0m	750	-	50	15	7	ECOX22W-B
1.5m	2.0m	210	-	15	15	20	ECOX24-B
1.5m	2.0m	210	-	15	15	20	ECOX24W-B
5.0m	2.0m	576	-	30	16	12	ECOX25-B
5.0m	2.0m	576	-	30	16	12	ECOX25W-B
10.0m	2.0m	1050	-	55	15	6	ECOX29-B
10.0m	2.0m	1050	-	55	15	6	ECOX29W-B



PRODUCT INFO

Unbeatable value for money with proven reliability.

An extensive selection of accessories and connection options with Octoplus® 230V by Blachere® accessories.



JOYLIGHT® 24V CURTAINS *flash*



FLASH

◆	◆	LED	FLASH	P (W)	¶	□	□
3.0m	2.0m	300 ⚪	60 ⚪	12.5	15	2	FL203-FX
3.0m	2.0m	300 ⚫	60 ⚪	12.5	15	2	FL203B-FX
3.0m	2.0m	300 ⚪	60 ⚪	12.5	15	2	FL203P-FX
3.0m	2.0m	300 ⚪	60 ⚪	12.5	15	2	FL203R-FX
3.0m	2.0m	300 ⚪	60 ⚪	12.5	15	2	FL203W-FX

PRODUCT INFO

Unbeatable value for money with proven reliability.

An extensive selection of accessories and connection options with Octoplus® 230V by Blachere® accessories.



ven 9 déc. à 20h

Opéra Berlioz, le Corum


QUATRE DERNIERS LIEDER

Roderick Cox direction | Elza van den Heever soprano



JOYLIGHT® CURTAINS

slowglow effect

**SLOWGLOW**

◆	◆	SLOWGLOW	P (W)	■	◆	□
1.5m	2.0m	120 ☀	16	15	13	24SG
1.5m	2.0m	120 ☀	16	15	13	24WSG
3.0m	2.0m	180 ☀	15	15	12	20SG
3.0m	2.0m	180 ☀	15	15	12	20WSG
5.0m	2.0m	210 ☀	17	15	12	25SG
5.0m	2.0m	210 ☀	17	15	12	25WSG
7.0m	2.0m	225 ☀	17	15	12	22SG
7.0m	2.0m	225 ☀	17	15	12	22WSG
10.0m	2.0m	270 ☀	15	15	13	29SG
10.0m	2.0m	270 ☀	15	15	13	29WSG





PRODUCT INFO

New animation exclusive to Blachere Illumination.
Gentle lighting snowflake effect.

Compatible with the entire range.
Connection options with 230V Octoplus® accessories
by Blachere®



EXCLUSIVE CONCEPT «SOBRILLANCE» CURTAINS *Champs-Elysées*



FLASH JOYLIGHT LED SUPER BRIGHT® CURTAIN

◆	◆	FLASH	P (W)	■	□	■
2m	6m	80	20	8	5	260-F

STATIC LED+ CURTAINS

◆	◆	LED	P (W)	■	□	■	□
2m	5m	540	60	15	9	FL75W+	FL75W-B+
2m	7m	750	60	15	9	FL72W+	FL72W-B+
2m	10m	1050	69	15	9	FL79W+	FL79W-B+

ACCESSORIES NEEDED TO OPERATE THESE PRODUCTS

1,50 m	power supply cable	■	□
0,30 m	bridge rectifier	690W max	FY043A+
0,20 m	bridge rectifier	230W max	FY041A+

PRODUCT INFO

INNOVATION Our optimized LED+

-15% reduction in electrical consumption
(on average) +brightness


Sobrillance is the combination of a static warm white curtain and a Super Bright flash curtain.

Vary the sequences with our remote controlled/programmable clock and create a living light show in your street!
On special request.



CHAMPS ÉLYSÉES «SCINTILLANCE» CURTAIN

with vertical animation



PRODUCT INFO

Recreate the most beautiful avenue in the world wherever you are !

Product and animation developed exclusively for the Champs Elysées now available for all our customers.

Blachere illumination official supplier of the « Champs Elysées » Committee.



A PRO version that exactly reproduces the effect on the Champs Elysées and an ECO version with a simplified effect.

FLASH

◆	◆	LED	FLASH	P (W)	■	□
7.0m	2.0m	420	80	55	10	-

ECOX216W

CHERRYLIGTH® CURTAINS *multicoloured*



PRODUCT INFO


This curtain with opaque globes diffuses a uniform light in vibrant colours that changes randomly and automatically.

STATIC

◆	◆	LED	P (W)	■
1.5m	2.0m	180	15	15 FL224C
3.0m	2.0m	300	25	10 FL220C



HONEYCOMB LIGHT® TREE NET *flash*



PRODUCT INFO

This net makes easy the decoration of tree trunks... with light. Thanks to its honeycomb mesh, it is placed around the trunk and adjusted to the diameter.


Ergonomic and practical, it will take you on average 10 times less time to dress your tree trunks than with a traditional garland!

The colour of the cable (brown) allows it to be less visible during the day and is exclusive to Blachere Illumination.

◆	◆	LED	SLOWFLASH	P (W)	■
2.0m	2.0m	204	52	11	7 802W-F
3.0m	2.0m	306	78	16	5 803W-F
4.0m	2.0m	-	592	23	5 804WSF



STALACTITLIGHT DUO COLORS® flash



FLASH

◆	◆	LED	SLOWFLASH	P (W)	■	□
1.0m	4.5m	180	60	15	36	15

330BWWF


PRODUCT INFO

2 products in 1!
Your garland can be either warm white or pure white.
Reverse the connection to obtain pure white/pure
white flash or warm white/warm white flash. See DUO
COLORS® Decor Collection.



STALACTITLIGHT® LED+

slowflash or static



SLOWFLASH

◆	◆	LED	SLOWFLASH	P (W)	■	□	
0.8m	4.5m	120	60	13	48	20	FL390BF+
0.8m	4.5m	120	60	13	48	20	FL390WBF+

PRODUCT INFO

INNOVATION Our optimized LED+

-15% reduction in consumption (on average) +brightness

Blachere exclusive
 - Registered design
 - High brightness
 - Shock resistant IK06
 - Long lifespan
 - Stable colour
 - IP 66/69 protection rating. Maximum rating allowed for a 230V product
 - Flexible connectivity thanks to the extensive Octoplus 230V by Blachere range.


2 YEARS GUARANTEE
 conditions : contact us

ACCESSORIES NEEDED TO OPERATE THESE PRODUCTS


1,50 m	power supply cable	FY08-B+	FY08+
0,30 m	bridge rectifier	690W max	FY043A-B+ FY043A+
0,20 m	bridge rectifier	230W max	FY041A-B+ FY041A+



STALACTITLIGHT® flash or static



352-FX / 352W-FX / 352R-FX / 352B-FX / 354-FX
354W-FX / 352 / 352W / 354 / 354W



353C / 353CW

FLASH

◆	◆	LED	FLASH	P (W)	■	□	
0.6m	4.5m	156 (●)	48 (●)	10	48	15	352-FX
0.6m	4.5m	156 (●)	48 (●)	10	48	15	352W-FX
0.6m	4.5m	156 (●)	48 (●)	10	48	15	352B-FX
0.6m	4.5m	156 (●)	48 (●)	10	48	15	352R-FX
1.0m	4.5m	180 (●)	60 (●)	10	36	15	354-FX
1.0m	4.5m	180 (●)	60 (●)	10	36	15	354W-FX

STATIC

◆	◆	LED	FLASH	P (W)	■	□	
0.6m	4.5m	180 (●)	-	10	48	15	352
0.6m	4.5m	180 (●)	-	10	48	15	352W
1.0m	4.5m	240 (●)	-	12	36	15	354
1.0m	4.5m	240 (●)	-	12	36	15	354W
1.5m	4.5m	320 (●)	-	16	32	15	353C
1.5m	4.5m	320 (●)	-	16	32	15	353CW


PRODUCT INFO

An absolute must since its creation, this product is a best-seller owing to its reliability. Can be divided into sections for greater adaptability.

Compatible with the entire range. Connection options with 230V Octoplus® accessories by Blachere®.



ECO STALACTITES *flash*



FLASH

◆	◆	LED	FLASH	P (W)	■	□	□
0.8m	4.5m	90 ⚪	30 ⚪	9	30	15	ECOX350F
0.8m	4.5m	90 ⚪	30 ⚪	9	30	15	ECOX350WF


PRODUCT INFO

Unbeatable value for money and proven reliability.

A wide choice of accessories and connection options with Octoplus® by Blachere® accessories.



FIR GARLAND STALACTITES *flash*



◆	◆	LED	FLASH	P (W)	■	□	□
0,6m	4,5m	156 ⚪	48 ⚪	13	48	15	GP138L
0,6m	4,5m	156 ⚪	48 ⚪	13	48	15	GP139L-W




PRODUCT INFO

A classic choice for traditional street decorations.

Quick connection accessories, extension leads, multi-socket connectors, 230V Octoplus by Blachere®.



CEILINGS flash or static



FLASH

◆	◆	LED	FLASH	P (W)	■	■	■
30.0m	2.0m	588 ⚪	98 ⚪	30	7	3	414-FX
30.0m	2.0m	588 ⚪	98 ⚪	30	7	3	414W-FX

STATIC

◆	◆	LED	FLASH	P (W)	■	■	■
30.0m	2.0m	686 ⚪	-	30	7	3	414
30.0m	2.0m	686 ⚪	-	30	7	3	414W



PRODUCT INFO

Cover up to 180m² with a single power supply at a lower cost.

The 24V/100W transformer for outdoor use, included with the 414-FX and 414W-FX garlands, allows three modules to be connected to a single transformer. Each string is reinforced with a micro-steel wire for greater durability.



DUO COLORS® BRAIDS *flash*



FLASH



\varnothing	\blacktriangleleft	LED	FLASH	P (W)	\square	
12.0m	75m	192	48	12	10	TSL4WWF

PRODUCT INFO

2 products in 1!
Your garland can be either warm white or pure white.
Reverse the connection to obtain pure white/pure white flash or warm white/warm white flash. See DUO COLORS® Decor Collection.



LED+ BRAIDS *slowflash*



SLOWFLASH


Ø	◆	LED	SLOWFLASH	P (W)	□	□
6.0m	60.0m	648 ⚪	312 ☀	60	2	TSL60+
6.0m	60.0m	648 ⚪	312 ☀	60	2	TSL60W+

PRODUCT INFO

«Ready-to-install» crossing with high light density.
Mounted on a coated ø3mm steel cable.
Features quick connection accessories, multi-socket connectors, and an animation kit.



BRAIDS *flash or static*



FLASH

Ø	◆	LED	FLASH	P (W)		
12.0m	7.5m	210	30	13	13	TSL3FX
12.0m	7.5m	210	30	13	13	TSL3WFX

STATIC


Ø	◆	LED	FLASH	P (W)		
6.0m	7.5m	240	-	13	13	TSL2
6.0m	7.5m	240	-	13	13	TSL2W

PRODUCT INFO

«Ready-to-install» crossing with high light density.
Mounted on a coated ø3mm steel cable.
Features quick connection accessories, multi-socket connectors, and an animation kit.



ECO BRAIDS *flash*



N

PRODUCT INFO

Unbeatable value for money and proven reliability.

A wide choice of accessories and connection options with Octoplus® by Blachere® accessories.

FLASH


◆	LED	FLASH	P (W)	□	□
7.5m	160 ⚪	20 ☀	10	15	ECOSSL3F
7.5m	160 ⚪	20 ☀	10	15	ECOSSL3WF



NICIA® BRAIDS flash



6 m



FLASH

Ø	◆	LED	FLASH	P (W)	□	□
6.0m	6.0m	432 ⚪	48 ⚡	23	9	558-FX
6.0m	6.0m	432 ⚪	48 ⚡	23	9	558W-FX


PRODUCT INFO

Unbeatable value for money and proven reliability.

A wide choice of accessories and connection options with Octoplus® by Blachere® accessories.



TWO-TONE BRAIDS *dropdown*




DROPDOWN

Ø	◆	LED	FLASH	P (W)	□	□
12cm	6.0m	240	-	55	-	TSLBL-W
12cm	6.0m	240	-	55	-	TSLWW-W

PRODUCT INFO

Discover our two-tone blue/white or warm white/pure white garlands, ideal for elegant decorations. Equipped with scrolling light effects and connectable to hanging lights, they create a magical, sophisticated atmosphere for all your festive occasions.

SWAG GARLANDS pre-lit



PRODUCT INFO

A timeless classic for traditional street decorations.


Quick connection accessories, extensions, multi-socket connectors, and Octoplus 230V by Blachere®.

SWAG GARLAND PER UNIT

Ø	◆	LED	P (W)		■
35cm	3.0m	400	30	6	GP303W
35cm	4.0m	500	38	4	GP304W



FIR GARLANDS pre-lit



PRODUCT INFO

Great classic for traditional street decorations.

Quick-fit accessories, extension leads, multi-socket connectors Octoplus® 230V by Blachere®.

FLASHES

Ø	◆	LED	FLASH	P (W)		■
30cm	2.7m	180	60	11	10	GP134LWFX



STATIC

Ø	◆	LED	P (W)		■
30cm	2.7m	240	11	10	GP134L-W



HANGING BOUQUETS

static



INDOOR

Ø	◆	LED	FLASH	P (W)	
80cm	-	441 (blue)	63	18	FCL080A
80cm	-	441 (yellow)	63	18	FCL080G
				25	PRTR24VI



Indoor transformer for FCL bouquet - sold separately

OUTDOOR

Ø	◆	LED	FLASH	P (W)	
80cm	-	441 (blue)	63	18	FCL080A-E
80cm	-	441 (yellow)	63	18	FCL080G-E
				25	PRTR24V

Outdoor transformer for FCL bouquet - sold separately

drawing of installation:




Installation sample

PRODUCT INFO

The hanging bouquets animated with flash with a gold or silver decoration, good daytime effect.

Working with a PRTR24VI or PRTR24V transformer - sold separately.
Compatible with 24V Octoplus extension leads.

HANGING MOTIFS *X-Led effect*



PRODUCT INFO

Ideal for embellishing your trees or hanging from strand lights.
Enjoy exclusive Xled animations! Set includes 5 decorations.


Remember to attach the mini decorations with the suspension cables supplied.

SET OF 5 DECORATIONS

Ø	◆	◆	LED SMD	P (W)	■
25cm	1.2m	3.0m	270	25	FXL920E
23cm x 20cm	1.2m	3.0m	270	25	FXL920S



HANGING SPARKLING STARS *animated*



PRODUCT INFO

Discover the two-tone warm white/cool white glow: 2 effects in 1, exclusive to Blachere!
A best-seller with a patented design, this product provides smooth animation and an elegant daytime effect thanks to the white polycarbonate. Easy to install on trees or ropes with the hooks included.
Available individually or in packs of 10.

SET OF 10 STARS

Ø	◆	◆	LED	P (W)	■
25cm	2.0m	3.0m	10	18	FL900E
25cm	2.0m	3.0m	10	18	FL900EW
25cm	2.0m	3.0m	10	18	FL900EWW
25cm	2.0m	3.0m	10	18	FL900EM


INDIVIDUAL STAR

Ø	◆	◆	LED	P (W)	■
25cm	-	-	1	3	G-FL900
25cm	-	-	1	3	G-FL900WW
230V -> 24V transformer with Octoplus connector					FYPRTR9B

HANGING BALLS flame effect



60 cm suspension and securing cable

**PRODUCT INFO**

Perfect for decorating trees or hanging from strand lights. Recreate the warm atmosphere of candlelight with a unique sparkling animation.

Add a fashionable retro touch to your decorations!
Available in packs of 5 GLOBES or individually.

SET OF 5 SPHERES


Ø	◆	◆	LED	P (W)	■
20cm	1.2m	3.0m	5	18	FL920LU

INDIVIDUAL SPHERE


Ø	◆	◆	LED	P (W)	■
20cm	-	-	1	3	G-FL920LU
230V -> 24V transformer with Octoplus connector					



HANGING BALLS multicoloured RGB



60 cm suspension and securing cable

**PRODUCT INFO**

Perfect for decorating trees or hanging from ropes.
Create a colourful pop atmosphere RGB animation, a unique effect!

Available in packs of 5 GLOBES or individually.

SET OF 5 SPHERES

Ø	◆	◆	LED	P (W)	■
20cm	1.2m	3.0m	5	24	FL920M


INDIVIDUAL SPHERE

Ø	◆	◆	LED	P (W)	■
20cm	-	0.5m	1	4.5	G-FL920M
230V -> 24V transformer with Octoplus connector					



NOSTALGIA XL HANGING BULBS

flash



SET OF 4 BULBS

Ø	◆	◆	LED	FLASH	P (W)	■
28cm	2.0m	2.0m	400 ☺	200 ☼	18	FL930BB

INDIVIDUAL BULB

Ø	◆	◆	LED	FLASH	P (W)	■
28cm	-	0.5m	100 ☺	50 ☼	4	G-FL930BB

230V->24V transformer with Octoplus connector

PRODUCT INFO



Perfect for enhancing your trees or hanging on cables, these oversized bulbs offer a captivating sparkle. Add a trendy retro touch to your decorations!

Available in a set of 4 bulbs with a transformer included, or individually.

Equipped with a stainless aluminum base for optimal durability.

HANGING SPHERES

micro led and flashes



PRODUCT INFO

Set of 4 decorative light balls, perfect for illuminating your trees and creating a magical atmosphere. Easy to install, they give off a soft glow for your festive celebrations or seasonal decorations.



SET OF 4 SPHERES

Ø	◆	◆	LED	FLASH	P (W)	■
30cm	2.0m	2.0m	400	200	18	FL930A



HANGING BRANCHES

micro led



PRODUCT INFO

Super easy installation. It will ideally decorate lamp posts and facades.

Accessories sold separately.


◆	LED	P (W)	■	□	□
1.2m	288	6	24	4	BRIN288
1.2m	288	6	24	4	BRIN288W
extension cable 2m					FY04W-PVC

XLED HANGING STEMS

Double drop double-sided



Suspension attachment and securing
required during installation



PRODUCT INFO

A smooth double-drop animation, exclusive to Blachere, a registered design that is one of the reasons behind the brand's success, notably with the Champs-Elysées project. Double-sided rods for 360-degree luminosity. Can be used for a wide range of applications, including facades, street crossings and tree decorations.

Multi-output accessory FY04FXL : 20 stems on a single power supply !

◆	◆	LED	P (W)	■	■	■
0.5m	2.7m	320	12	5	2	FXL055
0.8m	2.7m	480	17	5	2	FXL085


X-LED STEM FOR B22/230V SOCKET FY03B22 ACCESSORIES

◆	LED	P (W)	■
0.8m	96	2	FY08-B22
Multi ends power supply			FY04FXL



HANGING STEMS

flashes



PRODUCT INFO



Very light products for hanging on all types of branches.

Pack of 6 drop decorations.

◆	◆	LED	FLASH	P (W)	■	■
1.2m	1.2m	480	120	50	6	950-FX
1.2m	1.2m	480	120	50	6	950W-FX




HANGING LIGHTS *foldable - 230V*



Led Classic compatible with Octoplus 230V range
requires 230V power supply cable L: 1,50m FY08+ type... and bridge rectifier FY043+ type...

<input checked="" type="checkbox"/>	<input type="checkbox"/>	LED	FLASH	P (W)	<input type="checkbox"/>
0.6m	0.6m	70	6	4	G-SPHERE
0.6m	0.6m	41	4	4	G-STAR

HANGING LIGHTS *foldable - 24V*



Micro light + PRO compatible with Octoplus 24V range

<input checked="" type="checkbox"/>	<input type="checkbox"/>	LED	P (W)	<input type="checkbox"/>
0.6m	0.6m	136	12	G-MONT+
0.6m	0.6m	136	12	G-MONTW+
0.6m	0.6m	144	12	G-SPHER+
0.6m	0.6m	144	12	G-SPHERW+
0.6m	0.6m	88	10	G-STAR+
0.6m	0.6m	88	10	G-STARW+

compatible with PRTR24V or OCTOPLUS 24V accessories

PRODUCT INFO


These foldable suspensions are aesthetic by day thanks to the white lacquering of the metal structures (available in Led Classic or Micro light + PRO). Power supply sold separately.

Compatible with the entire range.

HANGING BALLS *inflatable*



Using a conventional
inflation gun




Suspension sling and
securing with carabiner

PRODUCT INFO

Passive decorative balls, ideal for decorating
ceilings or trees by day or night.

Inflates on site with a simple compressor. Set of 4
balls, for outdoor use.

Ø	colour	ref (set of 4)
0.5m	●	BG50-1
0.5m	○	BG50-2
0.5m	●	BG50-3
0.5m	○	BG50-4



GOBO PROJECTORS



PRODUCT INFO


Rotating projector.
Multiple pattern options.
Manual control available or via DMX.

Contact us for more information.


Note: Technical specifications and the type of gobo projector are subject to change depending on the manufacturer.



BUNCH LIGHT® BOUQUETS with RGBWW LEDs



KBRGBWW



Our new Bunch Light® RGBWW Bouquets can be placed on the floor to create animated, multi-coloured lighting surfaces.

They can be custom-controlled to create an overall lighting design. Each bead can be controlled like a pixel to create a multicoloured field of light. The rods are flexible and move with the wind, creating an animated and truly magical display.

This product is sold in packs of 6 bouquets, each made up of 8 RGBWW beads.

If your project requires a customised analysis, please contact your account manager.

LED PROJECTORS

Round




PRODUCT INFO

Light up the trunks or branches of your trees with our round micro spotlights!
Mini size but super powerful!

Bright, elegant and easy to install. Totally safe for the public (24V) and the trees (elastic ties).
protective foam).

ROUND SPOTLIGHTS FOR TREES (SET OF 2)

dim.	LED	tension	P (W)	ref
180 x 55 x 24 mm	2x6	24V	2 x 6W	PRJA
180 x 55 x 24 mm	2x6	24V	2X6W	PRJA-W
black switch-mode power supply 24V dc 25W (for a set of 2)				PRTR24N
elastic strap for PRJA-W and PRJA projectors				FYSDOW
protective and adhesive foam (set of 10)				FY-MOUS



LED PROJECTOR

Decorative



PRODUCT INFO


Decorative spotlight, ideal for creating a soft, warm atmosphere.

LED DECORATIVE SPOTLIGHT-UNIT-IP65 - CLASS 1

LED	tension	P (W)	ref
	230V	6	PRJP-03W+



PROJECTORS AND WALL-WASHES LED RGBW-DMX



RGBW WALL-WASHES

N

◆	LED	angle	tension	weight	P (W)	reference
1 m	16 RGBW	39°	110-240V	6,2kg	75	PRJR4-DMX
6 m	DMX extension lead					FY5P-DMX
6 m	DMX signal extension lead					FY5S-DMX

RGBW PROJECTORS

N

Dimensions	LED	angle	tension	weight	P (W)	reference
21 cm x 12 cm x 15 cm	6 led x 5W RGBW DMX avec mode manuel	40°	230V	2,7kg	35	HLPRJDMX
21 cm x 33 cm x 17 xm	15 RGBW	40°	230V	5,2kg	115	PRJP5-DMX

Option: controllable with infrared remote control (distance 3 to 4 m max). Simple functions.

PRODUCT INFO

Range of RGB strip lights.
Perfect for facades or monument illuminations.

Use of the SMD RGB led for a better lighting result.



FILS LUMIÈRE® static




FIL LUMIERE® PLATINIUM & ECO

30 Led/m



FIL LUMIERE® DUO COLORS

30 Led/m



FIL LUMIERE® NEON

144 Leds SMD/m



N

	Fil Lumière® eco	Fil Lumière® Platinium	Fil Lumière®Néon	Fil Lumière DUO COLORS®
Led density/m	30	30	144 SMD	30
P (W) /m	3,5	4	7	3,5
Roll of	90,00m	50,00m	25,00m	25,00m
Ø	12mm	12mm	15mm	13mm
IP	IP55	IP66-69	IP66	IP66
□	■	■	■	□
○	NL5011	NLEDU51	NLEDN01	
○	NL5011W	NLEDU51W	NLEDN01W	
●	NL5012	NLEDU52		
●	NL5014	NLEDU54		
●	NL5016	NLEDU56		
●	NL5013	NLEDU53		
				NLEDWW

PRODUCT INFO

Platinium fil lumière® (strand lights):

Ideal for showcasing facades. Comes with 3 special LED power supplies, 3 end caps and 3 connectors.
Strictly for professional use, not for retail sale in shops.

DUO COLORS® strand light:
2 products in 1!

Your strand lights can be either warm white or pure white. Reverse the connection to get pure white or warm white.



TECHNICAL pages

OUR STEERING SOLUTIONS

It's time to step up the smart city movement to save more energy.

Eco-designed equipment that is sustainable and smart energy management are part of any global eco-friendly urban policy. Blachere Illumination is committed to working alongside cities and developing innovative solutions to protect our planet and our future.



With our lighting management systems, you can remotely manage lighting with a single click.

Whether it's with **our range of timer boxes or our MASTER+SAVER global control system on the next page**.

This makes it easier for the city to manage its electricity resources in line with its ecological and sustainable development aspirations.

ON/OFF BOX WITH REMOTE CONTROL

When you fit your set with this remote control switch, you can install and connect your set to the public lighting system in advance and switch it on manually with the remote control on the day of the lighting show, without having to interact with the box installed on lighting set.

Box ref: **TERUP**

Remote control ref: **TERUP-C** (can control multiple TERUP boxes)

- SIMPLE ON/OFF CONTROL
- WORK VIA REMOTE CONTROL



TEMPO 2 BOX UNIVERSAL & 7-HR PROGRAMMABLE


When you fit your set with the TEMPO2 box, you can disconnect it from the public lighting network. Sets are switched off automatically after 7 hours, from the moment the street lighting switched on.

By connecting a TERUP ON/OFF box upstream of this box, you can trigger the timer using the remote control.

Compatible with Octoplus **and/or any other decor**.

Box ref: **TEMPO2**

- AUTOMATIC 7-HOUR TIME DELAY
- CONTROL IS ON THE BOX




TEMPO+ BOX PROGRAMMABLE FROM 5 TO 10 HRS

When you fit your set with the TEMPO+ box, you can disconnect it from the public lighting network and can adjust the lighting times you want and programme the lights to go out. A long press means you can select 5, 6, 7, 8, 9 or 10 hours of illumination followed by automatic switch-off. By connecting a TERUP ON/OFF box upstream of this box, you can trigger the timer with the remote control. Octoplus compatible.

Box ref: **TEMPO+**

- TIME DELAY SELECTABLE **BETWEEN 5 AND 10 HOURS**
- CONTROL IS ON THE BOX



MASTER+SAVER SYSTEM

Fit your light displays with SAVER boxes.




One of lighting sets will be «group leader» and will be equipped with a MASTER box. The MASTER box can be programmed with the switch-on times/days and will communicate the same information to all the SAVERS via Bluetooth.

The distance between SAVER and MASTER must not exceed 50m.

If two sets are more than 50m apart, you will need to make a new group with a new MASTER box. You also need to be close to the MASTER, with your phone in your hand and the application open, to be able to control your sets.

Lighting sets can be pre-programmed in our workshops or programmed by the customer themselves using the dedicated mobile application.

- SUPER EASY CONTROL VIA MOBILE APPLICATION
- CREATION OF SET GROUPS
- PROGRAMMING OF SWITCH-ON DAYS AND TIMES
- MANAGEMENT OF SWITCH-OFF TIMES FOR ENERGY SAVINGS
- SECURE W - DATA PROTECTION



OCTOPLUS BY BLACHERE®

Exclusive



Octoplus by Blachere® 230V connector, protection rating IP67, according the European standard EN60529 on the degree of protection provided by enclosures.



Safety extra-low voltage connector 12/24V



Special connector RGBWW 12V


Octoplus is the connector that enables fast and multiple connection between our decorations and most of our range of garlands. Each item that is marked “Octoplus” can therefore be connected to another “Octoplus” item. This means the combination of items is infinite just by simplifying the electrical connections.

EXAMPLE FOR A TRANSVERSE MOTIF



Ref.	Quantity	Page
FY08-B+	1	263
FY043A-B+	1	263
FY01-3B+	1	263
FL390WBF+	1	207
FCL080G-E	2	231
FYPTR9B	2	265
FYT-B+	2	263


To install on steel wire with PVC sheath



EXAMPLE FOR A WIDTH OF 4,50M

Ref.	Quantity	Page
FY08-B+	1	263
FY043A-B+	1	263
FY01-2B+	1	263
354W	1	209
FYT-B+	2	263
FYPTR9	2	265
G-FL900	2	233


To install on steel wire with PVC sheath





EXAMPLE FOR A TREE

Ref.	Quantity	Page
FY08-B+	1	263
FY043A-B+	1	263
FY01-3+	2	263
BTX8	1	263
508R-FX	10	173
FY030+	4	263
FYPTR9	1	265
G-FL900	1	233
FY03B22	1	264
FXL08-B22	1	240
F722-L	1	185



OCOTPLUS CONNEXIONS 230V - (I/2)

Diagram/Picture	Description	Obs	<input checked="" type="checkbox"/>	<input type="checkbox"/>
	Power cable 230V - 1.5m - HO5RN-F - 2x1mm ² with male plug and female Octoplus connector	Euro	FY08+	FY08-B+
	AC/DC bridge rectifier (compulsory) for LED+ with Octoplus connector (M+F)	UK	FY08-UK+	FY08-BUK+
	Octoplus extension 230V - HO5RN-F - 2x1mm ²	Swiss	FY08-S+	FY08-BS+
		Wieland	FY08-W	FY08-BW
		1A/230W	FY041A+	FY041A-B+
		3A/690W	FY043A+	FY043A-B+
	Set of 5 end-caps plugs	1m	FY01-1+	FY01-1B+
		2m	FY01-2+	FY01-2B+
		3m	FY01-3+	FY01-3B+
		5m	FY01-5+	FY01-5B+
		10m (2x5m)	FY01-10+	FY01-10B+
	T connector 230V (M+F/F)		FYT+	FYT-B+
	Y connector 230V (M+F/F)		FY030+	FY030-B+
	W connector 230V (M+F/F/F)		FY031+	FY031-B+
	Collector - 230V - HO5RN-F L = 2 x 1.60m = 3.20m 20cm between connectors with 16 sockets and steel wire with PVC-coating 690 W max in total		FY023+	FY023-B+



OCTOPLUS CONNEXIONS 230V - (2/2)



Diagram/Picture	Description	Obs.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
	IP66 multi-socket box with 4 Octoplus (F) outputs and one Octoplus (M) input	690 W max	BTX4	-
	IP66 multi-socket box with 8 Octoplus (F) outputs and one Octoplus (M) input	690 W max	BTX8	-
	230V adaptor Sparklight and Stalactites (connector 2017 -> connector 2018)	-	FY230F2	FY230F2-B
	230V adaptor Sparklight and Stalactites (connector 2018 -> connector 2017)	-	FY230M1	FY230M1-B
	B22 bushing with M/F Octoplus connector	5W max	FY03B22	FY03B22-B
	Elasticated "SPECIAL TREE" connector to let the tree grow without any restrictions	lot de 5	FY07A	-
	20cl tube of silicone sealant for full sealing of connectors (extreme environment)	-	NLC60	-
	Protective and adhesive foam	-	FY-MOUS	-

OCTOPLUS CONNEXIONS 24V



Diagram/Picture	Description	Obs.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
	1m extension PVC cord 24V Connectors M-C1/F-C2		FY01-PVC	FY01B-PVC
	2m extension PVC cord 24V Connectors M-C1/F-C2		FY02-PVC	FY02B-PVC
	5m extension PVC cord 24V Connectors M-C1/F-C2		FY05-PVC	FY05B-PVC
	2 output connector PVC 24V Connectors M-C1/F-C2		FY2-PVC	FY2B-PVC
	3 output connector PVC 24V Connectors M-C1/F-C2		FY3-PVC	FY3B-PVC
	230V -> 24V transformer with Octoplus connector	10W max	FYPRTR9	FYPRTR9B
	Transformer 230V / 24V with Octoplus connectors	100W		PRTR100W
	collector 24V - PVC L: 80cm - 4 sockets spacing 20cm		FY024	FY024-B

OCTOPLUS TECH CONNEXIONS 12V



Diagram/Picture	Description	Obs.		
	T connector Octoplus Tech	-	FT-T1	FT-T1B
	Octoplus Tech extension - 50 cm	-	FT-R05	FT-R05B
	Octoplus Tech extension - 1 m	-	FT-R1	FT-R1B
	Octoplus Tech extension - 2 m	-	FT-R2	FT-R2B
	3 outputs Octoplus Tech collector	-	FT-C3	FT-C3B
	12V/100W transformer	-	FT-TR100	-
	12V/200W transformer	-	FT-TR200	-
	End-caps plug Octoplus Tech	lot de 5	FT-B	FT-BB

FIL LUMIÈRE® ACCESSORIES

Electrical accessories for LED Platinium fil lumière® ø 12mm

	NLC95-12 Fil lumière® Led power cord kit		NLC51L-12 Glueable L connector		NLC92-12 Standardized glueable central "spins"		NLC54-12 Glueable insulation end cap
<p>The kit includes : 1 rubber power lead of 1m with plug and polarized connector + integrated AC/DC bridge rectifier, 1 power lead spin, 1 full spin, 1 pot of glue and 1 end cap.</p>							

Fixing accessories for Led fil lumière®

	NLC56		NLC59		NLC61 - Pot of glue PVC 250ml
--	--------------	--	--------------	--	--------------------------------------

Repair kit for Led Platinium fil lumière® - 230V - IP55 - ø 12mm

NLKL01-12	10 m of fil lumière® white Led		(type NML41), 2 power leads, glue, 10 connectors, 5 end caps
NLKL02-12	10 m of fil lumière® blue Led		(type NML42), 2 power leads, glue, 10 connectors, 5 end caps
NLKL06-12	10 m of fil lumière® red Led		(type NML46), 2 power leads, glue, 10 connectors, 5 end caps
NLKL01W12	10 m of fil lumière® warm white Led		(type NML41W), 2 power leads, glue, 10 connectors, 5 end caps

⚠ For Blachere Illumination motifs only

FIXING ACCESSORIES FOR MOTIFS AND CONNECTION HOUSING

Photo	Infos	Ref
	Heart shape eye for Ø 4mm cable set of 10	D001
	Heart shape eye for Ø 6mm cable set of 10	D011
	Cable gripper for Ø 4mm cable set of 10	D002
	Cable gripper for Ø 6mm cable set of 10	D012
	Steel cable Ø 4mm 100m roll	D005
	Steel cable Ø 6mm 100m roll	D006
	Steel cable Ø 4mm with PVC sheath Ø 6mm 100m roll	D015
	Steel cable Ø 6mm with PVC sheath Ø 8mm 100m roll	D016

Photo	Infos	Ref
	Transverse unit for fastening to pole for Ø 11mm cable pair	MA011
	Eyebolt L : 150mm set of 2pcs	D033
	Galvanized steel shackle Ø 10mm	MA002
	Mixed stretcher unit - M10 L : 22 to 30cm	D004
	Ø 6mm Snap hook WLL 80kg	DOM7T
	safety sling L : 60cm WLL : 70kg	D026
	Differential circuit-breaker equipped with a waterproof power plug. (for poles) Note : box subject to modification according to availability	C001

FIXING ACCESSORIES FOR POLEMOUNTS




Inverted cone
1 PIX03 (up)
1 PIX04-2 (down)
2 curtains H : 5m


Cylinder
2 PIX03
2 curtains H : 5m

Christmas tree
1 PIX04-2 (up)
1 PIX02 (down)
1 curtain H : 3m

Free composition
2 PIX03
2 FL74WBF+
1 FL900E




PIX02 / PIX03
Circular brackets
Put together low-price 3D decorations
on your columns with our circular brackets
(inner diameter adjustable)




PIX04-2

Ref	Ø	Perimeter	pole Ø	usable with
PIX04-2	25 cm	0,80 m	60 à 120 mm	curtains
PIX02	60 cm	1,90 m	60 à 200 mm	
PIX03	130 cm	4,00 m	60 à 200 mm	

FIXING ACCESSORIES FOR POLEMOUNTS




PIX01
Horizontal bracket
H:0,90 m - L: 1,10 m
inter distance max: 1,00 m
max load: 25 kg




PIXEKO
Horizontal bracket
H : 0,25m - L : 0,80m
max load : 10kg


FIXING ACCESSORIES FOR POLEMOUNTS



PIX05B (white lacquered)
Horizontal bracket
H: 0,85 m - L: 0,90 m
inter distance max: 0,52 m
max load: 30 kg



PIX05 (green lacquered)
Horizontal bracket
H: 0,85 m - L: 0,90 m
inter distance max: 0,52 m
max load: 30 kg




FIXING ACCESSORIES FOR MOTIFS

"Order your FIX01 fixing to colour match your lamp columns!!!
Let us know the corresponding RAL and get a customized quotation. Contact our sales department for information"

FIX01 (pair)
Fastening device for pole



FIX01P (pair)
Strengthened fastening devices for poles (storm conditions)
(wind area 3)





FIXING ACCESSORIES FOR MOTIFS

"Order your FIX01 fixing to colour match your lamp columns!!!
Let us know the corresponding RAL and get a customized quotation. Contact our sales department for information"

FIX01M (pair)
Fastening devices for facades



FIX01MC (pair)
Fastening devices for curved pole



Each fastening must be individually strapped twice (see diagram). For motifs exceeding a height of 3.5m, it is essential to use three fasteners per motif.

D007 : Strapping box including 1 cutting pliers and 1 stapping pliers.

D008 : Stainless steel strap
Roll of 50m, thick-ness : 0,7mm

D009 : Staple-clip for steel strap set of 100

D010 : Black protection strip for Stainless steel strap - L: 10 ml / 10 mm



D008



D007

D010



D009

FYS060N
Fixing of decorations on masts.
Black strap: l: 15mm, L: 600mm,
8cm mini ratchet, LC 50 daN

This strap is reusable and does not slip



SOLAR ACCESSORIES

A new roundabout to decorate but no power supply?

Or looking to illuminate a street on your own with zero carbon emissions?

Choose our solar solutions.

Discreet panels, with an integrated autonomous and programmable system (switch-on and switch-off times).

Adapted light decorations, 24V garlands, and more. We offer you a **complete range that is 100% self-powered**.

All you need is sunshine!

Consult our advisory teams for a personalised analysis



SOLAR KIT SELF-POWERED

KITSOL

- Kit containing a solar panel with high-performance monocrystalline cells.
- Gel batteries for 2400 cycles with discharge..
- Power regulator and discharge protection.
- 24V or 230V output easily switched by rotary selector.
- Can be fixed to the floor.

PRODUCT INFO

- 50% battery consumption after 12 hours.
- Low-power prevents battery damage.
- Easy to move thanks to flexible rubber wheels with high abrasion resistance.
- Maintenance-free and easy to install.



SOLAR KIT POLE

PIXSOL2

- 20W panel power
- 7.2W power output
- DAILY PROGRAMMER: selection of the days and times lighting set is switched on
- 8 to 10 hours of sunshine required for 7 hours of lighting set operation

COMPATIBLE PRODUCTS

Garland 1 x FL502@	Sphere 1 x G-FL920M
Garland 1 x 501CW	Bulb 1 x G-FL930BB
Garland 1 x 501W	Kit 1 x PRJA and PRJA-W
Sphere 1 x G-FL920LU	



SOLAR KIT POLE

PIXSOL3

- 12W panel power
- 4W power output
- DAILY PROGRAMMER: selection of the days and times lighting set is switched on
- 8 to 10 hours of sunshine required for 7 hours of projector operation


RÉFÉRENCES COMPATIBLES


1/2 PRJA/PRJA-W



SCENOGRAPHY/DECORATION ACCESSORIES

Pictures	Infos	Ref
	To complement your decorations, we can provide you with our real firtrees sustainably cultivated and processed with flake finish based on fireproof natural cellulose fibre. Contact our sales department and choose your colours and finish.	
	Mounting base lacquered in gold for 3D motif \varnothing : 800mm	PLA8000R
	Mounting base lacquered in gold for 3D motif \varnothing : 1200mm	PLA12000R

Picture	Infos	Ref
		
 	Opera barrier H : 1,20m L : 2,00m White pine barrier H : 0,80m L : 1,80m	BAR01 GP506-B

Picture	Infos	Ref
	Square Carpet Blue 3m x 3m	GPC300B
	Round Carpet Blue \varnothing : 3m	GPR300B
	Square Carpet Red 3m x 3m	GPC300R
	Round Carpet Red \varnothing : 3m	GPR300R
	White cotton carpet roll 30m x 2,6m	GP500
	Red carpet roll 10m x 2m	GP510R
	Red - \varnothing 140mm Set of 16	B14-1
	Gold - \varnothing 140mm Set of 16	B14-2
	Red - \varnothing 200mm Set of 9	B20-1
	Gold - \varnothing 200mm Set of 9	B20-2
	Red - \varnothing 280mm Set of 2	B28-1
	Gold - \varnothing 280mm Set of 2	B28-2

SCENOGRAPHY/DECORATION ACCESSORIES

BALLASTING ILLUMINATIONS

Dress up your blocks as pretty gifts!

Use our magical gifts to hide the concrete blocks in your decorations!
Depending on the features of your decoration, put together your own ballast kit and wrap your gift (size & colour).

Wrapping steps (clips are supplied)



Example : KPLO100B + KFLEXCA1

1. Choose your block

Reference	Description	dimensions
KPLO100B	Concrete block - 100kg	0,37 x 0,37 x 0,37m
KPLO040	Concrete block - 40kg	0,30 x 0,30 x 0,20m
KPLO020	Concrete block - 20kg	0,20 x 0,20 x 0,20m

2. Choose your cover

Reference	Description	dimensions	colour
KFLEXCA2	Block cover - PM	0,2 x 0,2 x 0,2m	blue / white
KFLEXCA5	Block cover - MM	0,3 x 0,3 x 0,2m	blue / white
KFLEXCA8	Block cover - GM	0,37 x 0,37 x 0,37m	blue / white
KFLEXCA1	Block cover - PM	0,2 x 0,2 x 0,2m	red / white
KFLEXCA4	Block cover - MM	0,3 x 0,3 x 0,2m	red / white
KFLEXCA7	Block cover - GM	0,37 x 0,37 x 0,37m	red / white
KFLEXCA3	Block cover - PM	0,2 x 0,2 x 0,2m	green / white
KFLEXCA6	Block cover - MM	0,3 x 0,3 x 0,2m	green / white
KFLEXCA9	Block cover - GM	0,37 x 0,37 x 0,37m	green / white

Enter the reference for the decoration + the block + the cover

GX345L +

. 3 x KPLO100B + 3 x KFLEXCA8 +
. 3 x KPLO040 + 3 x KFLEXCA6



INDEX



ARTOT02	146
CIME2	71
CIME4	71
CIME6	71
CIME7	71
GX047L	36
GX048LW	118
GX070CL	42
GX070LR	41
GX079L	33
GX081LW-2	68
GX082LW	68
GX083LW	68
GX086L	32
GX086L-A	32
GX087L	21
GX092L	24
GX093L	24
GX097L	33
GX098L	33
GX102LW	28

GX103L	36
GX103L-A	36
GX105L	31
GX107	157
GX107-UK	157
GX108	157
GX108-UK	157
GX110	157
GX110-UK	157
GX114LW	90
GX116LW	108
GX117LW	108
GX118DC	27
GX118L	31
GX119L	31
GX132L	23
GX133L	32
GX145L	37
GX145L-A	37
GX146L	147
GX147L	37

GX148L	22
GX149L	37
GX151L	26
GX152L	26
GX153L	23
GX154LW	41
GX155LW	40
GX156LW	48
GX159L	30
GX160L	36
GX163L	21
GX164L	31
GX168LW	48
GX171RGBW	43
GX172LW	34
GX173L	50
GX173LW	50
GX182L	36
GX182L-A	36
GX184L	38
GX184LW	38

GX185LW	51
GX193L	29
GX194L	27
GX200L	147
GX205L	37
GX206L	37
GX210LW	48
GX242L	151
GX243LW	151
GX244L	29
GX245LW	35
GX247L-A	29
GX248LR	30
GX249L	31
GX249L-A	31
GX251L	61
GX251LW	61
GX252L	39
GX252LW	39
GX253LW	61
GX256LW	34
GX257LW	34
GX258L	35
GX258LW	35
GX259LW	35
GX260L	25
GX260LW	25

GX261LW	24
GX262LW	30
GX263L	28
GX264LW	29
GX265LW	21
GX266DC	53
GX267LW	28
GX308L	22
GX327L	48
GX327LW	48
GX333L	20
GX344L	18
GX344LW	55
GX345L	19
GX346L	16
GX347L	18
GX348L	17
GX349L	18
GX350LW	59
GX354L	52
GX354LW	16
GX355LW	53
GX356L	16
GX357L	19
GX358L	28
IPL031W	88
IPL039	104

IPL039W	104
IPL042W	138
IPL070B	112
IPL070W	112
IPL072W	126
IPL075B	94
IPL075W	94
IPL076	112
IPL076W	112
IPL081W	112
IPL082W	88
IPL084	126
IPL087W	102
IPL094W	138
IPL110	94
IPL110W	94
IPL114W	108
IPL115W	102
IPL117W	138
IPL118W	126
IPL122	128
IPL126	128
IPL126W	128
IPL127	122
IPL127W	122
IPL128	122
IPL128W	122

IPL129	80
IPL129W	78
IPL130	80
IPL130W	78
IPL131	80
IPL131W	78
IPL134W	108
IPL135	94
IPL135W	94
IPL139W	108
IPL140W	108
IPL141W	104
IPL143	80
IPL143W	78
IPL144	80
IPL144W	78
IPL145W	104
IPL150	128
IPL151W	104
IPL160	128
IPL189B	136
IPL189R	136
IPL189W	136
IPL190B	136
IPL190R	136
IPL190W	136
IPL191B	134

IPL191R	134
IPL191W	134
IPL199	124
IPL199W	124
IPL200	124
IPL201	124
IPL201W	124
IPL202W	86
IPL203W	86
IPL226W	86
IPL228B	138
IPL228W	138
IPL230	80
IPL230W	78
IPL231W	86
IPL257	132
IPL257B	132
IPL257W	132
IPL258	132
IPL258B	132
IPL258W	132
IPL259	134
IPL259W	134
IPL260W	134
IPL265W	88
IPL266W	88

IPL267W	88
IPL268W	88
IPL270R	110
IPL270W	110
IPL271R	110
IPL271W	110
IPL272	104
IPL272W	102
IPL282DC	143
IPL283DC	143
IPL284DC	143
IPL285DC	143
IPL286DC	143
IPL300B	92
IPL300W	92
IPL311	92
IPL311W	92
IPL317R	86
IPL318R	86
IPL319R	86
IPL320R	86
IPL322	122
IPL323W	122
IPL324W	102
IPL325W	102
IPL326W	102
IPL328W	98

IPL329W	98
IPL330W	98
IPL332W	98
IPL333W	98
IPL334W	98
IPL335	76
IPL335W	76
IPL336	76
IPL336W	76
IPL337	76
IPL337W	76
IPL340W	138
IPS264W	145
IPS280	145
IPS280W	145
IPS281W	145
IPS289W	145
IPS290	145
ITGL100	90
ITGL101W	90
ITGL102	116
ITGL102W	116
ITGL104	114
ITGL104W	114
ITGL105	114
ITGL105W	114
ITGL111	116

ITGL111W	116
ITGL112	140
ITGL112W	140
ITGL117R	116
ITGL130W	118
ITGL131	116
ITGL131W	116
ITGL141	116
ITGL170B	90
ITGL170L	90
ITGL179BW	100
ITGL179WW	100
ITGL180BW	100
ITGL180WW	100
ITGL182BW	100
ITGL182WW	100
ITL009	112
ITL020B	140
ITL020W	140
ITL021	94
ITL022	82
ITL022W	82
ITL033W	102
ITL043W	138
ITL053	114
ITL053W	114
ITL059W	122

ITL061	112
ITL072W	126
ITL076W	112
ITL077W	88
ITL082W	138
ITL083W	138
ITL094W	136
ITL101	82
ITL101W	82
ITL102	82
ITL102W	82
ITL113W	108
ITL115	140
ITL115W	140
ITL118W	126
ITL126	128
ITL127	122
ITL127W	122
ITL129	80
ITL129W	78
ITL130	80
ITL130W	78
ITL132W	138
ITL135	94
ITL135W	94
ITL160	128
ITL161	80

ITL161W	78
ITL163	82
ITL165W	88
ITL167	128
ITL191B	136
ITL191W	136
ITL218W	86
ITL226W	86
ITL227B	134
ITL227W	134
ITL232W	122
ITL233	82
ITL234W	134
ITL261	132
ITL261B	132
ITL261W	132
ITL262	132
ITL262B	132
ITL262W	132
ITL266W	88
ITL275R	110
ITL276R	110
ITL276W	110
ITL277W	110
ITL278W	110
ITL279R	110
ITL279W	110

ITL282DC	143
ITL288DC	143
ITL291	80
ITL291W	78
ITL30	92
ITL30W	92
ITL312	124
ITL312W	124
ITL314	124
ITL314W	124
ITL315	82
ITL316W	82
ITL317W	104
ITL321R	86
ITL327W	102
ITL328W	98
ITL331W	98
ITL332W	98
ITL333W	98
ITL338	76
ITL338W	76
KFLEXCA1	279
KFLEXCA3	279
KFLEXCA4	279
KFLEXCA5	279
KFLEXCA6	279
KFLEXCA7	279

KFLEXCA8	279
KFLEXCA9	279
KIT1-134	151
KIT1-242	151
KIT2-134	151
KIT2-242	151
KLFEXCA2	279
ML019W	104
ML020W	104
PIX05B	126
PL250B	126
PL250W	126
PL344	108
PL344W	108
SL005	51
SL005W	50
SL012	49
SL012W	49
SL013	49
SL013W	49
SL019CL	42
SL032	49
SL032W	49
SL033	49
SL033W	49
SL035W	44
SL036	46

SL036W	46
SL037W	47
SL038W	23
SL039W	51
SL040	45
SL041W	54
SL044W	45
SL045V	33
SL048	54
SL049W	54
SL050R	40
SL051W	17
SL052W	19
SL053W	16
SL134	151
SL135W	32
SL136	39
SL136W	39
SLED010W	56
SND017	56
SND018	65
SND019	63
SND021	64
SND022	63
SOCL42	36
SOCL43	25
SOCL47	26

SOCLGX81	71
SOCLGX82	71
SOCLGX83	71
SV1001	62
SV1001W	62
SV1201-P	62
SV1201W-P	62
SV301	62
SV301W	62
SV302	59
SV302W	58
SV303	58
SV303W	58
SV501	62
SV501W	62
SV502	59
SV502W	56
SV504A	22
SV505CL	64
SV506RGBW	64
SV507W	63
SV801-P	62
SV801W-P	62
TGL139W	126
TGL169LW	90
TGL247LW	118
TGL70LW	114

TGL70LWW	114
TGL71LW	114
TGL71LWCL	114
TGL71LWW	114
TGL72LW	114
TGL72LWW	114
TL311R	104
TL311W	104
TL312R	104
TL312W	104
TL347W	118
VL045W	112
VL046	128
VL045W	112
VL046	128

Blachere INTERNATIONAL



BLACHERE ILLUMINATION S.A.S
 22 Allée des Bourguignons
 84400 Apt - France
 tél : +33 (0) 413 068 002
 fax : +33 (0) 490 747 367
sales@blachere-illumination.com
blachere-illumination.com

Géraldine
 tél : +33 (0) 490 747 323
geraldine@blachere-illumination.com
Léa
 tél : +33 (0) 490 747 642
lalves@blachere-illumination.com
Marion
 tél : +33 (0) 490 747 330
marion@blachere-illumination.com
Irène
 tél : +33 (0) 490 747 396
i.baravet@blachere-illumination.com
Marie
 tél : +33 (0) 490 747 044
marie@blachere-illumination.com
Cathy
 tél : +33 (0) 490 747 325
cathy@blachere-illumination.com

AFRIQUE/AFRICA

Blachere Illumination Afrique
 Rue du Caire - Route de M'Saken, 4081 Zaouiet Sousse
 tel : +216 73 386 601
 email : gregory.roux@blachere-factory.com
 fax : +216 73 386 650

ASIE PACIFIQUE/ASIA PACIFIC

Blachere Illumination Asia Pacific
 Unit B, 17/F., United Centre, 95 Queensway, Admiralty, Hong Kong
 email : hkoffice@blachere-illumination.com

AUTRICHE/AUSTRIA & ALLEMAGNE/GERMANY

Blachere Illumination GmbH
 Krenglbacher Straße 7-4631 Krenglbach
 tel : +43 (0) 7249 46400 - 0
 email : office@blachere.at

BELGIQUE/BELGIUM

Blachere Illumination Belgique
 Rue de Hermée 225, 4040 Herstal
 tel : +32 4 275 02 81
 email : info@blachere-illumination.be

BRÉSIL/BRASIL

Blachere Iluminação Brasil
 Estrada Antiga de Itu, 1111 CEP: 06695-570, Itapevi - São Paulo
 tel : +55 11 94772-7571
 email : milena.damasio@blachere-illumination.com.br

CANADA/CANADA

Blachere Illumination Canada
 3400 14th Avenue, Unit 18, Markham, Ontario L3R 0H7
 tel : 905-475-6553
 email : info@blachere-illumination.ca
 Web : www.blachere-illumination.ca

COLOMBIE/COLOMBIA

Blachere - City Lights
 Carrera 33 N. 19-26, Bogotá
 tel : 576 016 466 000
 email : comercial@blachere.co - jklahr@blachere.co

CROATIE/CROATIA

Blachere Illumination Croatia (Blachere Illumination – Gospodari svjetla)
 Medsave 4B, 10430 Samobor
 tel : +385 1 8877 660
 email : info@gospodarisvjetla.hr
 Web : www.gospodarisvjetla.hr

DANEMARK/DENMARK

Blachere Illumination - JADA GROUP APS
 Norgesvej 2, 6230 Rødekro
 tel : +45 70 20 00 03
 email : info@jadagroup.dk

ESPAGNE/SPAIN

Blachere Iluminación España s.a
 Calle Corazón de María, 70-8E, 28002 Madrid
 tel : +34 91 388 28 77
 email : info@blachere-illumination.es

ÉTATS-UNIS/USA

Blachere Illumination USA Inc.
 PO Box 41,4198 State Highway 14 W,Christopher,IL 62822
 tel : +1 618-724-1500
 email : info@blachere-illumination.us
 fax : +1 618-724-4500
 Web : <https://blachere-illumination.com/en/blachere-illumination-usa>

EUROPE CENTRALE/CENTRAL EUROPE

Blachere Illumination Central Europe
 Karadžičeva 8/A, Bratislava 821 08
 tel : 421918428040
 email : info@blachere-illumination.sk

FINLANDE/FINLAND

Blachere Illumination Finland - Lohikari
 Ruoholahdenkatu 24, 00180 Helsinki
 tel : +358 9 565 7750
 email : lohihari@lohihari.fi
 fax :
 Web : www.lohihari.fi

HONGRIE/HUNGARY

Blachere Illumination Hungary
 H-2142, Nagytarcsa, Csonka János út 4, K bátiment
 tel : +36 70 389 1475
 email : info@blachere-illumination.hu

ITALIE/ITALY

Blachere Illumination Italia - Lumiworks Srl
 Via Euippa 22, 73100 Lecce
 tel : 393760563212
 email : info@lumiworks.it

MEXIQUE/MEXICO

Blachere Iluminación México
 3 Oriente No. 416 Centro. 74200 Atlixco,Puebla
 tel : +52 244 44 51 281
 email : contacto@blachere.com.mx
 Web : <https://blachere.com.mx/>

RÉP. TCHÈQUE/CZECH REPUBLIC

Blachere Illumination Czech Republic
 Ostrá Horka 1/511 - 760 01 Zlín
 tel : 420602227226
 email : pesek@blachere-illuminations.cz

MOYENT-ORIENT/MIDDLE EAST

Blachere Illumination Middle East
 FAB Property Management Buildings
 Building 22 Warehouse 3 DIP 1
 tel : +971 4 254 8856
 email : m.soltay@blachere-illumination.ae

NORVÈGE/NORWAY

Blachere Illumination Norway - Eurosign
 Stanseveien 21,0975 Oslo
 tel : +47 23 00 85 00
 email : salg@eurosign.no

PAYS-BAS/NETHERLANDS

Blachere Illumination Netherlands - Avontuur
 Blokdijk 3 - 1608 HH Wijdenes
 tel : +31 229 50 12 22
 email : info@avontuur.net

POLOGNE/POLAND

Blachere Illumination Polska
 Jasna 39 - 86-070 Czemlewo
 tel : 48668318492
 email : info@blachere-illumination.pl

PORTUGAL/PORTUGAL

Blachere illumination - Design Studio
 Rua Pedro Nunes
 IPN Aceleradora Edifício D - Sala 1.15
 3030-199 Coimbra, Portugal
 design@blachere-illumination.pt
 Tel: 00351 239 134 384

TURQUIE/TURKEY

Blachere Illumination Aydinlatma
 Hasarpaşa Mh. Lavanta Sk. Polat İş Merkezi 26/3,
 Kadıköy-Istanbul
 tel : +90 532 660 69 23
 email : msoltay@blachere-illumination.com.tr

ROUMANIE/ROMANIA

Blachere Illumination Romania
 Cluj Napoca, Str. Anatole France,nr. 22, et. 2
 birou 2,Judetul Cluj, cod postal 400463
 tel : +40 75 705 08 66
 email : office@blachere-illumination.ro
 fax : +40 31 845 13 73

ROYAUME-UNI/UK

Blachere Illumination UK Ltd
 Gladstone Place, Ladybank, Fife, KY15 7LB
 tel : +44 (0)1337 832 910
 email : sales@blachere-illumination.co.uk
 Web : www.blachere-illumination.co.uk

SUÈDE/SWEDEN


Blachere Illumination Sweden
 Gustavslundsvägen 143,167 51 Bromma
 tel : +46 (0)72 601 66 46
 email : info@blachere-illumination.se

SUISSE/SWITZERLAND

Blachere Illumination Swiss SA
 Rue du Châtelard 18 1400 Yverdon-les-Bains
 tel : 021 886 00 90
 email : office@blachere-illumination.ch
 Web : www.blachere-illumination.ch

Blachere FRANCE

- Directeur des ventes France :
Christophe Rey • 06 30 07 35 31
- Responsable régional Nord :
Joao Vitoria • 06 74 35 65 68
- Responsable régional Centre :
Sébastien Bouvet • 06 08 80 47 66
- Responsable régionale Sud :
Aude Grojsman • 06 74 48 50 41
- Directrice administration des ventes :
Géraldine Lê • 04 90 74 73 23
- Blachere Illumination France Régions :
Alexandre Thanh • 06 80 15 11 25
• 04 48 06 50 95
- Blachere Illumination Shopping Center :
Corinne Garcia • 06 78 39 56 74



Paris intramuros

Cédric Parcineau • 01 42 77 66 15 / 07 77 26 37 76
Assistante, Sandrine Sarrazin • 04 90 74 70 45

Île-de-France Est

Sophie Duquesnoy • 06 08 00 57 52
Assistante, Sarah Galizzi • 04 90 74 73 61

Île-de-France Ouest

Véronique René • 06 08 80 47 65
Assistante, Sarah Galizzi • 04 90 74 73 61

Nord - Picardie

Barbara Gheysens • 06 31 59 64 07
Assistante, Anaïs Truphémus • 04 90 74 73 94

Champagne - Ardennes

Matthieu Mairie • 06 79 47 06 26
Assistante, Anaïs Truphémus • 04 90 74 73 94

Alsace - Lorraine

Olivier Radreaux • 06 07 67 39 46
Assistant, Vincent Vicari • 04 90 74 70 47

Savoie - Haute Savoie

Maëva Rigoureau • 06 42 56 43 70
Assistante, Stéphanie Imbert • 04 90 74 96 22

Rhône - Sud Bourgogne - Jura - Isère - Loire

Soizic De Vanel • 06 70 12 41 62
Assistante, Delphine Borel • 04 90 74 96 24

Bourgogne - Centre - Limousin - Auvergne

Maxime Bavouzet • 06 78 52 33 82
Assistante, Marianne Fabi • 04 90 74 73 90

Bouches-du-Rhône - Var

Xavier Le Penven • 06 84 02 80 04
Assistante, Delphine Borel • 04 90 74 96 24

Côte d'Azur - Monaco

Jérôme Falin • 06 37 62 41 21
Assistante, Stéphanie Imbert • 04 90 74 96 22

Vaucluse - Ardèche - Cantal - Haute Loire - Drôme

Delphine Ha • 06 48 79 99 62
Assistante Delphine Borel • 04 90 74 96 24

Occitanie - Pyrénées - Méditerranée - Aveyron

Justine Gausson • 06 47 04 59 85
Assistante, Sandrine Sarrazin • 04 90 74 70 45

Sud-Ouest

Nicolas Montenon • 07 85 88 19 50
Assistante, Sandrine Sarrazin • 04 90 74 70 45

Pays de Loire - Poitou

Sophie Pintiaux • 06 85 23 77 43
Assistante, Stéphanie Imbert • 04 90 74 96 22

Bretagne - Basse Normandie

Régis Danais • 06 30 07 35 09
Assistante, Nadège David • 04 90 74 73 60

Corse

M. Gabbiati Fabrice • 06 29 31 51 19
Nadège Dauberte • 04 90 74 73 63

BLACHERE ILLUMINATION 2025

GENERAL *catalog*





HEAD OFFICE & WORKSHOP

Blachere Illumination S.A.S
22 Allée des Bourguignons, 84400, Apt
Tel : + 33 (0) 413 068 004
Fax : + 33 (0) 490 741 463

Mail : sales@blachere-illumination.com
Web : blachere-illumination.com

DESIGN • DESIGN DPT BLACHERE

CONTACT

Géraldine - tél : +33 (0) 490 747 323
geraldine@blachere-illumination.com
Léa - tél : +33 (0) 490 747 642
lalves@blachere-illumination.com
Marion - tél : +33 (0) 490 747 330
marion@blachere-illumination.com
Irène - tél : +33 (0) 490 747 396
i.baravet@blachere-illumination.com
Marie - tél : +33 (0) 490 747 044
marie@blachere-illumination.com
Cathy - tél : +33 (0) 490 747 325
cathy@blachere-illumination.com

COVER • DESIGN DPT BLACHERE

PHOTOGRAPHERS

- Michel Djaoui
- Lionel Moulet
- Jérémie Pitot
- Odile Pascal
- Brice Toul
- Eric Soltan
- Camille Moirenc

PRINT • GROUPE PRENANT

ALL RIGHTS RESERVED

Not a contract document. The sizes and wattages of motifs may be subject to change for technical reasons.
Non-contractual images.

All our products are CE marked meaning that they meet electrical security norms and electromagnetic requirements.
All our motifs, designs and graphics are protected by the INPI, the OMPI and current industrial and intellectual property laws.
Reproduction of any kind, in full or part, is strictly forbidden without written authorisation of blachere illumination s.a.s.

Get inspired at blachere-illumination.com



GOING PAPER FREE

Here at Blachere, above and beyond just being deeply concerned about sustainable development and our carbon footprint, we are constantly looking for ways to increase the efficiency of the tools we use, which has naturally led us towards going paper-free.

Though the «zero paper» business is somewhat of a Utopian ideal, going paper-free considerably reduces the amount of printouts we produce and, as a consequence, our impact on the environment. The paper tools we do continue to use are printed on paper from sustainably managed forests at our «Imprim'vert» accredited printers.

QR Code in our catalogue gives you access to multiple additional media: videos of our decorations and installations, how they look in the daytime, work in progress photos and technical information about the products.

Visit us at www.blachere-illumination.com





Blachere Illumination S.A.S
22 Allée des Bourguignons, 84400, Apt
Tel : + 33 (0) 413 068 004

blachere-illumination.com